
More on precison

Every measurement contains some amount of ERROR, or some amount of deviation from the true value of what is being measured.

RANDOM ERROR is the variability in a measurement that cannot be traced back to a single cause. Random errors cause measurements to fluctuate around the true value, but can be averaged out given enough measurements.

When reporting measurements, we want to indicate how much random error we think is present. How? $F_0 \ \text{m}: \ X \cdot X \times \text{cm}$



How long is the green line?

Write your answer on the sheet, then fold the sheet in half and pass it up to the front!

Our classroom experiment: Results

After throwing away obvious mistakes in reading the scale, we had:

Value	# students
1,62	7
1,63	6

Overall average $\bar{\chi} = 1,624615385$ cm

$$= \frac{1.62}{2} \pm 0.01$$
 cm

CERTAIN DIGITS: Appear in nearly all repeats of the measurement

UNCERTAIN DIGITS: Vary.. Variation caused by estimation or other sources of random error.


13 mensure ments

When reading measurements from a scale, record all CERTAIN digits and one UNCERTAIN (or estimated) digit.

Significant figures

SIGNIFICANT FIGURES are a way to indicate the amount of uncertainty in a measurement.

The significant figures in a measurement are all of the CERTAIN DIGITS plus one and only one UNCERTAIN (or estimated) DIGIT



Determining significant figures

When you read a measurement that someone has written using the significant figures convention, you can tell how precisely that measurement was made.

1.473 g ±0.002 This was measured to the nearest +/- 0.001 g The last digit is always UNCERTAIN (or estimated) 2 1) $m \pm 1$ 3 7, 2 6 $kg \pm 0,01$ 3 7, 2 6 $kg \pm 0,01$ 3 7, 2 6 $kg \pm 0,01$ 2 7.3 $m \pm 0,1$ 5 ome other examples 3,2076 g \pm 0,0001 Luncertain Luncertain $m \pm 1$

<u>A small problem</u>

The number ZERO has several uses. It may be a measured number, but it may also be a mere "placeholder" that wasn't measured at all!

So how do we tell a measured zero from a placeholder? There are a few ways:

1: BEGINNING ZEROS: Beginning zeros are NEVER considered significant. ISg 9 This zero merely indicates that there is a decimal point coming up! (1.5 cm) These zeros are placeholders. They'll disappear if you change the UNITS of this number! 0,00 None of these zeros are considered significant

2: END ZEROS are sometimes considered significant. They are significant if


- there is a WRITTEN decimal point in the number

- there is another written indicator that the zero is significant. Usually this is a line drawn over or under the last zero that is significant!

This zero IS considered significant. There's a written decimal.
TSUO
$$m \pm 100 m$$

These zeros ARE NOT considered significant (no written decimal,
and no other indication that the zeros are significant)
THese zeros are not significant.
This zero IS significant. It's marked.


How many significant figures are there in each of these measurements?



Calculations with measurements

When you calculate something using measured numbers., you should try to make sure the ANSWER reflects the quality of the data used to make the calculation.

An ANSWER is only as good as the POOREST measurement that went into finding that answer!



How should we report this answer? How much uncertainty is in this answer?

70.7

✓ If you add an uncertain number to either a certain or an uncertain number, then the result is uncertain!

 \star If you add certain numbers together, the result is certain!


For addition and subtraction, round FINAL ANSWERS to the same number of decimal places as the measurement with the fewest decimal places. This will give an answer that indicates the proper amount of uncertainty.

For multiplication and division, round FINAL ANSWERS to the same number of SIGNIFICANT FIGURES as the measurement with the fewest SIGNIFICANT FIGURES!

$$\frac{4}{15.62} \times 0.0667 \times \frac{3}{35.0} = 36.46489$$

How should we report this answer?
$$\frac{3}{25.4} \times 0.00023 \times \frac{15.201}{5.201} = 0.088804242$$

How should we report this answer?



Exact Numbers

- Some numbers do not have any uncertainty. In other words, they weren't measured!

1) Numbers that were determined by COUNTING!

exactly 4 2) Numbers that arise from DEFINITIONS, often involving relationships between units

How many blocks are to the left?

Example

You'll need to round the answer to the right number of significant figures! Convert 4.45 m to in, assuming that 2.54 cm = 1 in

2.54 cm zin
$$Cm z 10^{-2}m$$

H, $USm \times \frac{Cm}{10^{-2}m} \times \frac{in}{2.54} cm = 175! 1968504 in$
 $\int_{3} \int_{-\infty}^{0} \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} e^{-175!n} = 175 in$

Usually, in unit conversions the answer will have the same number of significant figures as the original measurement did.

EXCEPTION: Temperature conversions, since these often involve ADDTION (different rule!)

DALTON'S ATOMIC THEORY

- 1808: Publication of Dalton's "A New System of Chemical Philosophy", which contained the atomic theory

- Dalton's theory attempted to explain two things:



- The total amount of mass remains constant in any process, chemical or physical!



<u>LAW OF DEFINITE PROPORTIONS (also called the LAW OF CONSTANT</u> COMPOSITION): All pure samples of a given compound contain the same proportion of elements by mass

The parts of Dalton's theory

(1) Matter is composed of small, chemically indivisible ATOMS

 \mathcal{D} <u>ELEMENTS</u> are kinds of matter that contan only a single kind of atom. All the atoms of an element have identical chemical properties.

3 COMPOUNDS are kinds of matter that are composed of atoms of two or more ELEMENTS which are combined in simple, whole number ratios.

Most importantly,

CHEMICAL REACTIONS are REARRANGEMENTS of atoms to form new compounds.

- Atoms are not gained or lost during a chemical reaction.
- Atoms do not change their identity during a chemical reaction.
- All the atoms that go into a chemical reaction must go out again!