
The distance between here and Columbia, SC is about 107,000 meters. What metric unit would be best suited for a distance like this? $K = 10^3$ $Km = 10^3 m$ (1000m)

A piece of chalk is 0.080 meters long. What metric unit would be best suited for this length? $(m = 10^{-2} m) (\frac{1}{100} m)$

Derived Units

- are units that are made up of combinations of metric base units with each other and/or with prefixes




Two derived units are particularly important in general chemistry:

1) VOLUME

2) DENSITY

VOLUME



Practical issues for volume units

- Cubic meters are too large! A meter is very similar in length to a yard, so a cubic meter is a cube that is approximately a yard long on each side!

Cubic decimeters are given the name "liters", abbreviation "L"

In the lab, we typically need an even smaller unit than the liter, so we use milliliters (mL)

$$1 m L = 10^{-3} L$$

-or-
1000 m L = 1 L

DENSITY

- Density is a measure of the concentration of matter; of how much matter is present in a given space


- Density is defined as the MASS per unit VOLUME, or ...

Density = mass Volume

What are the metric units of DENSITY?

DENSITY = $\frac{Kg}{m^3}$ volume unit

... but we don't typically measure mass and volume in kg or cubic meters. (For example, our lab's balances can weigh a maximum of 0.200 kg!) In the lab, we typically measure masses as <u>grams</u> and volumes as <u>milliliters</u>, so the density unit we will use most often is:



Measuring density

... of a liquid

1) Measure mass of empty cylinder

mass = 97.35 g



2) Fill cylinder and measure volume of liquid Volume = 25.3 mL 3) Measure mass of filled cylinder mass = |30.55 g

4) Subtract to find mass of liquid

$$-\frac{97.35}{33.20} g$$

5) Density = mass liquid / volume liquid
Density =
$$\frac{33.20 \text{ g}}{25.3 \text{ mL}}$$

= $\left[1.3 \right] \frac{g}{mL}$

...of an object

1) Measure mass of object mass = 7.78 g


2) Partially fill cylinder with liquid, record volume.


volume = 25.0 mL

3) Put object into cylinder, record new volume Volume = 26.6 mL

4) Subtract to find volume of object 26.6 mL -25.0 mL1.6 mL

5) Density = mass object / volume object $Density = \frac{9.78 \quad 9}{1.6 \quad mL}$ $= 6.1 \quad \frac{9}{mL}$





Converting from one unit to another

We will use the method of dimensional analysis, sometimes called the factor-label method. ... or, the "drag and drop" method!

Dimensional analysis uses conversion factors to change between one unit and another

What's a conversion factor? A simple equality.

J

Example

$$12 in = 1 f f$$


Conversion factors in metric

In the metric system, conversion factors between units may always be made from the metric prefixes!

For example, "kilo-" means
$$10^{3}$$

 $K = 10^{3}$
 50
 $\frac{Km = 10^{3}}{10g}$
 $\frac{Kg = 10^{3}}{10g}$
 $\frac{Ks = 10^{3}}{10g}$
 $\frac{Kl = 10^{3}}{10g}$

How do we actually USE a conversion factor?



the number, only its UNITS!

Convert 0.01893 kg to g
$$Kg = 10^{3}$$

 $0.01893 kg x - \frac{10^{3}}{Kg} = 18.93 g$

DRAG AND DROP - Drag the part of the factor that you want to cancel out to the BOTTOM.

- Then, drag the other half of the factor to the TOP

Convert 14500 mg to kg
$$mg = 10^{-3}g$$
 $kg = 10^{3}g$
 $14 \le 00 mg \times \frac{10^{-3}g}{mg} \times \frac{kg}{10^{3}g} = 0.0145 kg$

Convert 0.147
$$cm^2$$
 to m^2 $cm = 10^{-2}$

$$0.147 \text{ cm}^2 \times \frac{10^{-2}}{\text{ cm}} \times \frac{10^{-2}}{\text{ cm}} \simeq 1.47 \times 10^{-5} \text{ m}^2$$

(0.0000147 m²)

We have to convert BOTH PARTS of the squared unit, so we use the factor TWICE.

For CUBED units, apply the factors THREE times.