


WRITING AN IONIC FORMULA

- if you know the ions that make up a compound, all you need to do is find the smallest ratio of cation to anion the compound needs to have an overall charge of zero


Example:



If a simple ionic compound is made of these two ions, what is its formula?




← more - than +, so add more Mg^{2+}



P^{3-} ← more + than -, so add P^{3-}

← more - than +, so add Mg^{2+}








In the final formula, don't write the charges on the ions!


Ionic formulas are ALWAYS written with the cation first, and the anion second!

SUPERscript is charge!

More examples:



Subscript = number of atoms, NOT charge!



You can also use the "cross method", as described in your textbook, to write formulas. Use caution, as the "cross method" will sometimes give you the wrong formula! It would give you the wrong answer for this one!

When writing the formula of the complete compound, don't write the charges on the ions (because it confuses people into thinking that the compound has an overall charge!). Ions BY THEMSELVES should be written with the charge.

PREDICTING CHARGES

- how do you figure out the charge that an element might take when it becomes an ion?
- for many main group elements, you can predict the charge using the periodic table!

IA	IIA																	VIII A
H	Li	Be										B	C	N	O	F	Ne	He
Na	Mg											Al	Si	P	S	Cl	Ar	
III B	IV B	V B	VI B	VII B	VIII B	IB	IIB											
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr	
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe	
Cs	Ba	La*	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn	
Fr	Ra	Ac*	Rf	Db	Sg	Bh	Hs	Mt	*"inner" transition metals go here									

Elements in group VIII A - the "noble gases" - do not form ions!

Many OTHER main-group elements form either anions or cations that have the same overall number of electrons as the NEAREST (in terms of atomic number) noble gas!

PREDICTING CHARGE

IA	H	IIA											IIIA	IVA	VA	VIA	VIIA	VIII A	He
Li	Be	You can reliably determine the charge using our method for Groups IA, IIA, III B, Aluminum, and the Group VA, VIA, and VIIA <u>NONMETALS</u>										B	C	N	O	F	Ne		
Na	Mg	IIIB	IVB	VB	VIB	VIIB	VIII B	IB	IIB	Al	Si	P	S	Cl	Ar				
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr		
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe		
Cs	Ba	La*	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn		
Fr	Ra	Ac*	Rf	Db	Sg	Bh	Hs	Mt	* "inner" transition metals go here										

Aluminum (Al): At atomic number 13, it is three electrons away from neon (Ne), and 5 electrons away from argon (Ar). Prediction: Aluminum will lose three electrons to form the cation Al^{3+}

Bromine (Br): At atomic number 35, bromine is one electron away from krypton (Kr). Prediction: Bromine will gain one electron to form the anion Br^{-}


Strontium (Sr): At atomic number 38, strontium is two electrons away from krypton. Prediction: Strontium will lose two electrons to form the cation Sr^{2+}

EXAMPLES

IA												VIII A					
H	IIA											III A	IV A	V A	VIA	VII A	He
Li	Be											B	C	N	O	F	Ne
Na	Mg	IIIB	IVB	VB	VIB	VII B	VIII B		IB	IIB	Al	Si	P	S	Cl	Ar	
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
Cs	Ba	La*	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
Fr	Ra	Ac*	Rf	Db	Sg	Bh	Hs	Mt	*"inner" transition metals go here								


Find the formulas of:

- (1) an ionic compound containing Al and Br
- (2) an ionic compound containing Mg and O
- (3) an ionic compound containing S and K




Find the formula of:

* an ionic compound containing Al and Br




Find the formula of:

* an ionic compound containing Mg and O



Find the formula of:

* an ionic compound containing S and K



Remember - When writing the formulas of ionic compounds, always put the CATIONS (+ charge) first!

TRANSITION METAL IONS

IA		TRANSITION METAL IONS										VIII A									
H	IIA												III A	IV A	V A	VIA	VII A	He			
Li	Be											B	C	N	O	F	Ne				
Na	Mg	IIIB	IVB	VB	VIB	VII B	VIII B	IB	IIB							Al	Si	P	S	Cl	Ar
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr				
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe				
Cs	Ba	La*	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn				
Fr	Ra	Ac*	Rf	Db	Sg	Bh	Hs	Mt	*"inner" transition metals go here												

The transition metals always form CATIONS!


However, many transition metals are capable of forming SEVERAL DIFFERENT CATIONS!

Example: Iron (Fe) forms two cations, depending on the situation: Fe^{2+} or Fe^{3+}


TRANSITION METAL CATIONS

- So how do you know which cation you're dealing with? For now, you'll have to be told
- Either the chemical formula of an ionic compound or the name of an ionic compound can tell you what charge is on the transition metal cation.

Examples:



This compound has iron ions with a +2 charge. This form of iron is called "iron(II)" pronounced "iron two"!





This compound has iron ions with a +3 charge. This form of iron is called "iron(III)" pronounced "iron three"!

POLYATOMIC IONS

- Some MOLECULES can gain or lose electrons to form CATIONS or ANIONS. These are called POLYATOMIC IONS
- Polyatomic ions form ionic compounds in the same way that single-element ions do.

Example: CO_3^{2-} : carbonate ion

Compare these formulas! ↓



* Use parenthesis when an ionic compound's formula contains more than one of a polyatomic ion.

A chart of common polyatomic ions is available on the course web site!

NAMES OF IONS

- To properly discuss ions and ionic compounds, we have to know how to name them!

CATIONS

3 kinds:

① Main group cations (metals that take only one charge when forming ions)

- The element's name is the same as the ion's name!



② Transition metal cations (from metals that can form several cations)

- The CHARGE of the cation must be given. Use a ROMAN NUMERAL after the element name to indicate charge!



③ Polyatomic cations

- Memorize list.



ANIONS

2 kinds

1

Main-group nonmetals

- Use the STEM NAME of the element, then add "-ide" suffix

N^{3-} : "nitride" ion

P^{3-} : "phosphide" ion

S^{2-} : sulfide ion

O^{2-} : "oxide" ion

F^{-} : "fluoride" ion

2.

Polyatomic ions

- List. (see web site)

$\text{C}_2\text{H}_3\text{O}_2^{-}$: "acetate ion"

SO_4^{2-} : "sulfate ion"

NO_3^{-} : "nitrate ion"

SO_3^{2-} "sulfite ion"

NO_2^{-} : "nitrite ion"

* Polyatomic ions ending in "-ate" and "-ite" suffixes always contain oxygen! "-ate" ions have more oxygen atoms than their "-ite" counterparts.