


CHEMICAL EQUATIONS

- are the "recipes" in chemistry
- show the substances going into a reaction, substances coming out of the reaction, and give other information about the process



REACTANTS - materials that are needed for a reaction

PRODUCTS - materials that are formed in a reaction

COEFFICIENTS - give the ratio of molecules/atoms of one substance to the others


PHASE LABELS - give the physical state of a substance:

(s) - solid


(l) - liquid

(g) - gas

(aq) - aqueous. In other words, dissolved in water



CHEMICAL EQUATIONS




REACTION CONDITIONS - give conditions necessary for chemical reaction to occur. May be:

- Δ apply heat
 - catalysts - substances that will help reaction proceed faster
 - other conditions, such as required temperatures
- Reaction conditions are usually written above the arrow, but may also be written below if the reaction requires several steps or several different conditions

COEFFICIENTS



- Experimentally, we can usually determine the reactants and products of a reaction
- We can determine the proper ratios of reactants and products WITHOUT further experiments, using a process called BALANCING
- BALANCING a chemical equation is making sure the same number of atoms of each element go into a reaction as come out of it.
- A properly balanced chemical equation has the smallest whole number ratio of reactants and products.
- There are several ways to do this, but we will use a modified trial-and-error procedure.

BALANCING




- ① Pick an element. Avoid (if possible) elements that appear in more than one substance on each side of the equation.
- ② Change the coefficients on substances containing this element so that the same number of atoms of the element are present on each side. **CHANGE AS LITTLE AS POSSIBLE!**
- ③ Repeat 1-2 until all elements are done.
- ④ Go back and quickly VERIFY that you have the same number of atoms of each element on each side. If you used any fractional coefficients, multiply each coefficient by the **DENOMINATOR** of your fraction.

Use SMALLEST WHOLE NUMBER RATIOS!



... to get a SINGLE oxygen atom from molecular oxygen, we need HALF of a molecule. So, to get 5 atoms, we need 5/2 oxygen molecules!

.. to get rid of this fraction, multiply ALL coefficients by the denominator of the fraction.



H: 4 (2+2)

O: 6 (4+2)

H: ~~2~~4

O: 6 (4+2) ✓

IDENTIFYING REACTIONS

You may see one or more of these signs when a chemical reaction occurs


- ① - A change in temperature that can't be explained in another way.
- ② - Emission of light that can't be explained in another way
- ③ - The formation of a solid - or PRECIPITATION - in a previously liquid solution. (Not a simple phase change!) *or gas formation. ✓*
- ④ - Color change (not simply lightening of color caused by diluting a solution!)

CLASSIFYING REACTIONS


- It's simpler to talk about different reactions if we can classify them into a small number of classes.
- Most of these reaction classes are reactions that involve TRANSFER OF ELECTRONS from one atom to another. The LAST class or reactions we will discuss does NOT involve electron transfer!

① COMBINATION REACTIONS

- Reactions that involve two or more simple substances COMBINING to form a SINGLE product
- Often involve large energy changes. Sometimes violent!



Example:



CLASSIFYING REACTIONS


2 DECOMPOSITION REACTIONS

- Reactions where a SINGLE REACTANT breaks apart into several products

- Form:



Example:




* This reaction is NOT a combustion reaction, even though O_2 is involved!

* Combustion reactions CONSUME O_2 , while this reaction PRODUCES O_2

CLASSIFYING REACTIONS


3 COMBUSTION REACTIONS

- Reactions of substances with MOLECULAR OXYGEN (O_2) to form OXIDES.
- Combustion forms an OXIDE of EACH ELEMENT in the burned substance!



Oxide: a compound containing OXYGEN and one other element!

Examples:



* Combustion of hydrocarbons makes carbon dioxide and water, if enough oxygen is present. In low-oxygen environments, carbon monoxide is made instead!

This reaction can also be called a combination!
Two reactants form a single product.