Metric units may be made larger or smaller by adding PREFIXES.

A few common metric prefixes:

mega-	10 6	Μ	Bigger units
kilo-	10 <sup>3</sup>	k	
centi-	2. 10	с	
milli-	10~3	m	smaller units
micro-	10 -6	M	

MEMORIZE the common metric prefixes listed in the study guide

Applying prefixes

$$\int m = m \left(10^{3} m \left(1000 m\right)\right)$$

$$\int m = 10^{3} m \left(1000 m\right)$$

$$\int m = 10^{2} m \left(\frac{1}{100} m\right)$$

K=103, so Km=103m (1000m)

The distance between here and Columbia, SC is about 107,000 meters. What metric unit would be best suited for a distance like this?

By "best suited", we mean a metric unit that would represent the number without many beginning or end zeros. These kinds of numbers are easier for us to remember!

A piece of chalk is 0.080 meters long. What metric unit would be best suited for this length?  $( -10^{-2} cm^{-1} lo^{-2}m (100m))$ 

## **Derived Units**

- are units that are made up of combinations of metric base units with each other and/or with prefixes


velocity:  $\frac{miles}{hr} \quad \frac{km}{hr} \quad \left(\frac{m}{s}\right) \quad \frac{length}{fime}$ 

Two derived units are particularly important in general chemistry:

1) VOLUME

2) DENSITY

## VOLUME



Practical issues for volume units

- Cubic meters are too large! A meter is very similar in length to a yard, so a cubic meter is a cube that is approximately a yard long on each side!

Cubic <u>decimeters</u> are given the name <u>"liters</u>", abbreviation "<u>L</u>" In the lab, we typically need an even smaller unit than the liter, so we use <u>milliliters</u> (mL)

$$1 m L = 10^{-3} L$$
  
-or-  
1000 m L = 1 L

## DENSITY

- Density is a measure of the concentration of matter; of how much matter is present in a given space

- Density is defined as the MASS per unit VOLUME, or ...

What are the metric units of DENSITY?

... we typically do not measure volumes in cubic meters, nor do we measure masses in kilograms in the lab.


(Our lab balances have a maximum capacity of about 200 grams, so we will not be measuring kilogram masses.)

In the lab, we typically measure masses as <u>grams</u> and volumes as <u>milliliters</u>, so the density unit we will use most often is:

$$\frac{g}{mL} \left(\frac{g}{cm^3}\right)$$

Measuring density

## ... of a liquid



4) Subtract to find mass of liquid  $\begin{array}{r} |30.559\\ -97.359\\ \hline 33.209\end{array}$  5) Density = mass liquid / volume liquid Density =  $\frac{33.20 \text{ g}}{25.3 \text{ mL}}$ =  $\left[1.3\right] \frac{9}{mL}$  ... of an object

- 1) Measure mass of object mass = 7.78 g
  - 2) Partially fill cylinder with liquid, record volume.

volume = 25.0 mL

3) Put object into cylinder, record new volume Volume = 26.6 mL

4) Subtract to find volume of object 26.6 mL- 25.0 mL - 1.6 mL

5) Density = mass object / volume object  $Density = \frac{9.78 \quad 9}{1.6 \quad \text{mL}}$  $= 6.1 \quad \frac{9}{mL}$  We will use the method of dimensional analysis, sometimes called the factor-label method. ... or, the "drag and drop" method!

Dimensional analysis uses conversion factors to change between one unit and another

What's a conversion factor? A simple equality.


$$12 in = 1 ft$$

Conversion factors in metric

In the metric system, conversion factors between units may always be made from the metric prefixes!

For example, "kilo-" means 
$$10^3$$
  
 $K = 10^3$   
 $50$   
 $\frac{Km = 10^3m}{Kg = 10^3g}$  [Just apply the  
prefix to the  
base unit."  
 $KL = 10^3L$   
 $Ks = 10^3s$ 

How do we actually USE a conversion factor?



Convert 14500 mg to kg 
$$m_g = 10^3 g$$
  $K_g = 10^3$   
14500 mg  $\times \frac{10^3 g}{mg} \times \frac{K_g}{10^3} = 0.0145 \text{ kg}$ 

Convert 0.147 cm<sup>2</sup> to m<sup>2</sup> 
$$cm = l0^{-2}$$

$$6.147 \, cm^2 \times \frac{10^{-2}}{cm} \times \frac{10^{-2}}{cm} = 1.47 \times 10^{-5} \, m^2 \, (0.0000147 \, m^2)$$

We have to convert BOTH PARTS of the squared unit, so we use the factor TWICE.

For CUBED units, apply the factors THREE times.