Atomic structure

- Until the early 20th century, chemists considered atoms to be indivisible particles.
- The discovery of SUBATOMIC PARTICLES changed the way we view atoms!

The subatomic particles

PROTON

- a small, but relatively massive particle that carres an overall unit POSITIVE CHARGE

NEUTRON


- a small, but relatively massive, particle that carries NO CHARGE
- slightly more massive than the proton

ELECTRON

- a small particle that carries an overall unit NEGATIVE CHARGE
- about 2000 times LESS massive than either protons or neutrons


Putting it together...

- In the early 20th century, there was a debate on the structure of the atom.



NUCLEAR MODEL

- Atoms are mostly empty space
- <u>NUCLEUS</u>, at the center of the atom, contains protons and neutrons. This accounts for almost all the mass of an atom
- Electrons are located in a diffuse <u>ELECTRON CLOUD</u> surrounding the nucleus



Why are atoms stable (why don't they change identity) during a reaction? The nucleus of an atom is not involved in chemical reactions, and the nucleus controls what kind of atom you have!


Atomic terms

- ATOMIC NUMBER: The number of protons in the atomic nucleus. Each ELEMENT has the SAME NUMBER OF PROTONS in every nucleus. In neutral atoms, the number of ELECTRONS is also equal to the atomic number.

Example: Helium has an atomic number of 2. Every helium atom has two protons in its nucleus.

- MASS NUMBER: The number of protons PLUS the number of neutrons in the atomic nucleus, Atoms of the same element may have DIFFERENT mass numbers.
- <u>ISOTOPES</u>: are atoms of the same element with different mass numbers. In other words, they have the same number of protons but different numbers of neutrons.

A few isotopes



<u>Isotope</u>s

- Have identical CHEMICAL properties
- Differ in MASS
- May differ in stability. Elements may have some isotopes that are RADIOACTIVE

Atomic weight

- The AVERAGE MASS of all naturally occurring isotopes of an element.

Example: Hydrogen has an atomic weight of 1.008 "atomic mass units" (Naturally-occurring hydrogen is almost all Hydrogen-1!)

atomic weight of C: 12.01 amu

(Natural carbon is mostly carbon-12)

atomic weight of CI: 35.45 amu

(Natural chlorine is mostly chlorine-35)

- Mendeleev (1869):
- --- When atoms are arranged in order of their atomic weight, some of their chemical and physical properties repeat at regular intervals (periods)
- --- Some of the physical and chemical properties of atoms could be calculated based on atomic weight
- Mendeleev was able to predict the properties of <u>previously unknown</u> <u>elements</u> using his "periodic law"

Modern periodic table

- organized based on <u>ATOMIC NUMBER</u> rather than ATOMIC WEIGHT. This eliminated some problems (elements out or order) with Mendeleev's original arrangement

Organization of the table

GROUPS

- columns
- atoms in a group often have similar chemical (and sometimes physical) properties


Group numbering:

- 1) Roman numerals: Similar to Mendeleev's groupings
 - "A" groups: Main group or "representative" elements
 - "B" groups: Transistion elements (also called transition metals)
- 2) Arabic numerals: IUPAC (international) accepted numbering system

PERIODS

- rows
- Atoms in later periods are generally larger than in earlier periods
- More on the significance of periods at the end of the course!

Groups and periods



GROUP numbers shown in GREEN PERIOD numbers shown in RED

The elements in the purple box have similar chemistry to the transition elements, even though they are listed in the "A" groups. A/B group notation isn't perfect!

Categories of elements

METALS

- good conductors of heat and electricity
- almost all solids at room temperature (exception: Mercury Hg is liquid)
- appearance: shiny, mirrored surface mostly grey
- ductile (can be drawn into wires), malleable (can be hammered)
- located on the left hand side of the periodic table

NONMETALS

- poor conductors of heat and electricity. Most nonmetals do not conduct well at all (insulators)
- many of the nonmetals are gases at room temperature. A few solids, and one liquid (bromine)
- color: Nonmetals may be white, black, purple, green, blue, orange, or colorless etc.
 - usually have low melting points in the solid form
 - solids tend to be brittle (not malleable) break when hit
 - located on the right hand side of the periodic table