MOLECULAR COMPOUNDS

- There are several kinds of molecular compound. We will learn to name two simple but important classes

BINARY MOLECULAR COMPOUNDS

- molecular compounds containing only two elements



- molecular compounds that dissolve in water to release \vec{H}^{T} ions
- corrosive to metals (react with many to produce hydrogen gas)
- contact hazard: can cause chemical burns to eyes and skin
- sour taste
- turn litmus indicator RED
- two kinds of acids:

() <u>BINARY ACIDS</u>

Usually from Group VIIA

- contain hydrogen and one other element

OXYACIDS

- contain hydrogen, OXYGEN, and another element

BINARY MOLECULAR COMPOUNDS

- Named based on the elements they contain, plus prefixes to indicate the number of atoms of each element in each molecule

FIRST ELEMENT


- Add a GREEK PREFIX to the name of the element.
- Omit the "MONO-" (1) prefix if there is only one atom of the first element


こ/ <u>SECOND ELEMENT</u>

- Add a <u>GREEK PREFIX</u> to the STEM NAME of the element
- Add the suffix "-ide" (as if you were naming an anion)
- DO NOT omit the "mono-" prefix if there is only one atom of the second element

SEE COURSE WEB SITE FOR A LIST OF GREEK PREFIXES! THESE ARE THE SAME PREFIXES USED FOR THE HYDRATES!

BINARY MOLECULAR COMPOUNDS





) BINARY ACIDS

- named after the element (other than hydrogen) they contain
- common binary acids include a Group VIIA element
- named: "Hydro-" + STEM NAME OF ELEMENT+ "-ic acid"

Four common binary acids 1 F : hydrofluoric acid * dissolves glass!

HCL '.hydrochloric acid& most common binary acid!

- HBr: hydrobromic acid
- H_{T} hydroiodic acid

ACIDS

(i) OXYACIDS

75


- Easy to think about as HYDROGEN IONS combined with POLYATOMIC IONS

- These acids are not true ionic compounds, but they interact with water to PRODUCE ions!

- named based on the polyatomic ion they contain, with an ending change:

1) - ions ending in -ATE form acids ending in -IC

 \mathfrak{L} - ions ending in -ITE form acids ending in -OUS



OXYACID EXAMPLES

acetic acid based on acetate H⁺ C2H3O2⁻

HC2H302

HNOZ

carbonic acid

based on carbonate
$$H^+$$
 CO_3^{2-}
 H^+

The number of hydrogen atoms at the beginning of the formula equals the charge of the anion the acid is based on!

HZCOZ

- You need to be able to tell, by looking at a name OR a formula, what kind of compound you are working with!

DON'T GET THE NAMING SYSTEMS MIXED UP! EACH KIND OF COMPOUND IS NAMED WITH ITS OWN SYSTEM!

FROM A CHEMICAL NAME

- If the name has a Roman numeral, the name of a metal, or "ammonium", the compound is likely IONIC

- If the name has a Greek prefix AND the prefix is NOT in front of the word "hydrate", the compound is <u>BINARY MOLECULAR</u>

- If the name contains the word "acid":

... and starts with "hydro-", then the compound is a BINARY ACID

... and does not start with "hydro-", the compound is an OXYACID

[®] FROM A CHEMICAL FORMULA

- if the formula contains a metal or the NH $\frac{1}{4}$ ion, it is likely I<u>ONIC</u>

- If the formula starts with H and is not either water or hydrogen peroxide, the compound is likely an ACID. Which kind?

- **BINARY ACIDS** contain only two elements

- OXYACIDS contains oxygen

- If the formula contains only nonmetals (and is not an ammonium compound or an acid), the compound is likely MOLECULAR

Examples:

 $P(1_{3}: BINARY MOLECULAR \\ Name: phosphorus trichloride \\ NH_{4} C1: IONIC (ammonium ion) \\ Name: ammonium chloride \\ NH_{4} C1: IONIC (ammonium ion) \\ Name: ammonium chloride \\ Name: ammonium chloride \\ NH_{4} C1: IONIC (ammonium ion) \\ Name: ammonium chloride \\ NH_{4} C1: IONIC (ammonium ion) \\ Name: ammonium chloride \\ NH_{4} C1: IONIC (ammonium ion) \\$

 $H_{3}PO_{H}$: OXYACID (hydrogen, phosphate) $F_{e}(OH)_{2}$: IONIC (iron - a metal) Name: phosphoric acid Name: iron(II) hydroxide

CHEMICAL EQUATIONS

- are the "recipes" in chemistry

- show the substances going into a reaction, substances coming out of the reaction, and give other information about the process

$$\operatorname{MgCl}_{2}(\operatorname{aq}) + \operatorname{MgNO}_{3}(\operatorname{aq}) \xrightarrow{\hspace{1cm}} 2 \operatorname{AgCl}(\operatorname{s}) + \operatorname{Mg(NO}_{3})_{2}(\operatorname{aq})$$

"vialde"

REACTANTS - materials that are needed fot a reaction


PRODUCTS - materials that are formed in a reaction

COEFFICIENTS - give the ratio of molecules/atoms of one substance to the others

PHASE LABELS - give the physical state of a substance:

- (s) -solid
- (I) liquid
- (g) gas

(aq) - aqueous. In other words, dissolved in water



CHEMICAL EQUATIONS $2M_{g}(s) + O_{2}(g) \xrightarrow{\Delta} 2M_{g}O(s)$

REACTION CONDITIONS - give conditions necessary for chemical reaction to occur. May be:

- \triangle apply heat
- catalysts substances that will help reaction proceed faster
- other conditions, such as required temperatures

- Reaction conditions are usually written above the arrow, but may also be written below if the reaction requires several steps or several different conditions

COEFFICIENTS

- Experimentally, we can usually determine the reactants and products of a reaction


- We can determine the proper ratios of reactants and products WITHOUT further experiments, using a process called BALANCING

- BALANCING a chemical equation is making sure the same number of atoms of each element go into a reaction as come out of it.

- A properly balanced chemical equation has the smallest whole number ratio of reactants and products.

- There are several ways to do this, but we will use a modified trial-and-error procedure.

BALANCING



) <u>Pick an element</u>. Avoid (if possible) elements that appear in more than one substance on each side of the equation.

Change the coefficients on substances containing this element so that the same number of atoms of the element are present on each side. CHANGE AS LITTLE AS POSSIBLE!

Repeat 1-2 until all elements are done.

(4)

Go back and quickly <u>VERIFY</u> that you have the same number of atoms of each element on each side, If you used any fractional coefficients, multiply each coefficient by the DENOMIMATOR of your fraction.

Use SMALLEST WHOLE NUMBER RATIOS!