Atomic structure

- Until the early 20th century, chemists considered atoms to be indivisible particles.
- The discovery of SUBATOMIC PARTICLES changed the way we view atoms!

The subatomic particles

PROTON

- a small, but relatively massive particle that carres an overall unit POSITIVE CHARGE

NEUTRON

- a small, but relatively massive, particle that carries NO CHARGE
- slightly more massive than the proton


ELECTRON

- a small particle that carries an overall unit NEGATIVE CHARGE
- about 2000 times LESS massive than either protons or neutrons

... So these particles were all thought to be parts of the atom. But how were these parts put together?


Putting it together...

- In the early 20th century, there was a debate on the structure of the atom.



NUCLEAR MODEL

- Atoms are mostly empty space
- -<u>NUCLEUS</u>, at the center of the atom, contains protons and neutrons. This accounts for almost all the mass of an atom
- Electrons are located in a diffuse <u>ELECTRON CLOUD</u> surrounding the nucleus



Atomic terms


- <u>ATOMIC NUMBER</u>: The number of protons in the atomic nucleus. Each ELEMENT has the SAME NUMBER OF PROTONS in every nucleus. In neutral atoms, the number of ELECTRONS is also equal to the atomic number.

Example: Helium has an atomic number of 2. Every helium atom has two protons in its nucleus.

- <u>MASS NUMBER</u>: The number of protons PLUS the number of neutrons in the atomic nucleus, Atoms of the same element may have DIFFERENT mass numbers.

- <u>ISOTOPES</u>: are atoms of the same element with different mass numbers. In other words, they have the same number of protons but different numbers of neutrons.

A few isotopes




<u>lsotope</u>s

- Have identical CHEMICAL properties
- Differ in MASS
- May differ in stability. Elements may have some isotopes that are RADIOACTIVE

Atomic weight

- The AVERAGE MASS of all naturally occurring isotopes of an element.

Example: Hydrogen has an atomic weight of 1.008 "<u>atomic mass units</u>" (Naturally-occurring hydrogen is almost all Hydrogen-1!) /



- Mendeleev (1869):

--- When atoms are arranged in order of their atomic weight, some of their chemical and physical properties repeat at regular intervals (periods) --- Some of the physical and chemical properties of atoms could be calculated based on atomic weight

- Mendeleev was able to predict the properties of previously unknown elements using his "periodic law"

Modern periodic table

- organized based on <u>ATOMIC NUMBER</u> rather than ATOMIC WEIGHT. This eliminated some problems (elements out or order) with Mendeleev's original arrangement

Organization of the table

GROUPS

- columns

- atoms in a group often have similar chemical (and sometimes physical) properties

Group numbering:


1) Roman numerals: Similar to Mendeleev's groupings

- "A" groups: Main group or "representative" elements
- "B" groups: Transistion elements (also called transition metals)

2) Arabic numerals: IUPAC (international) accepted numbering system

PERIODS

- rows
- Atoms in later periods are generally larger than in earlier periods
- More on the significance of periods at the end of the course!



64

METALS

- good conductors of heat and electricity
- almost all solids at room temperature (exception: Mercury Hg is liquid)
- appearance: shiny, mirrored surface mostly grey
- ductile (can be drawn into wires), malleable (can be hammered)
- located on the left hand side of the periodic table

NONMETALS

- poor conductors of heat and electricity. Most nonmetals do not conduct well at all (insulators)
- many of the nonmetals are gases at room temperature. A few solids, and one liquid (bromine)
- color: Nonmetals may be white, black, purple, green, blue, orange, or colorless etc.
 - usually have low melting points in the solid form
 - solids tend to be brittle (not malleable) break when hit
 - located on the right hand side of the periodic table

METALLOIDS / SEMICONDUCTORS

- in between metals and nonmetals on the table
- most periodic tables have a zig-zagging line where the metalloids are
- properties tend to be "between" metals and nonmetals, too!
- some have similar chemical reactivity to nonmetals, but conduct electricity better than nonmetals

- some have unusual electrical properties (silicon / germanium diodes) , and are useful in electronics

Types of elements on the periodic table

IA	Types of elements on the periodic table															VIIIA	
Н	IIA	This red line appears in some way on most periodic tables. It's the															He
Li	Be	dividing line between metals and nonmetals You can find the motalloids baral										В	С	Ν	0	F	Ne
Na	Mg											AI	Si	Ρ	S	CI	Ar
К	Са	Sc	Ti	V	Cr	Mn	Fe	Со	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
Rb	Sr	Y	Zr	Nb	Мо	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Те		Xe
Cs	Ba	Ļa	Hf	Ta	W	Re	Os	lr	Pt	Au	Hg	TI	Pb	Bi	Ро	At	Rn
Fr	Ra	AC	Rf	Db	Sg	Bh	Hs	Mt	*"ir	ner"	trar	nsitio	n m	etals	go	here)


METALS shown in BLACK NONMETALS shown in BLUE METALLOIDS shown in PURPLE Blocks on the periodic table

Atomic number: This is always a whole number. The periodic table is arranged by atomic number!

Element symbol: A one or two letter abbreviation for the name of the element. Sometimes, the abbreviation is based on a language OTHER THAN ENGLISH! (Example: Na is short for "natrium", the Latin name of sodium.)

Element name: Sometimes, this is left off of periodic tables, expecially small ones!

- Atomic weight: This is either a decimal number or a number in parenthesis.



11

Sodium_

22.99

For RADIOACTIVE ELEMENTS - elements where the atomic nucleus breaks down, causing the atom to break apart - the MASS NUMBER of the most stable ISOTOPE is given in (parenthesis) instead of the atomic number!