
Exact Numbers

- Some numbers do not have any uncertainty. In other words, they weren't measured!
 - 1) Numbers that were determined by COUNTING!



2) Numbers that arise from DEFINITIONS, often involving relationships between units

- Treat exact numbers as if they have INFINITE significant figures or decimal places!

Example

You'll need to round the answer to the right number of significant figures! Convert 4.45 m to in, assuming that 2.54 cm = 1 in

2.54 cm
$$= 10^{-2} \text{m}$$

H, US $_{10^{-2} \text{m}} \times \frac{\text{cm}}{10^{-2} \text{m}} \times \frac{\text{in}}{2.54 \text{ cm}} = 175 \cdot 1968504 \text{ in}$
 $= 175 \text{ in}$

Usually, in unit conversions the answer will have the same number of significant figures as the original measurement did.

EXCEPTION: Temperature conversions, since these often involve ADDTION (different rule!)

A note on rounding: If possible, try to round only at the END of a multiple-step calculations. Avoid rounding intermediate numbers if possible, since extra rounding introduces ERROR into your calculations.

DALTON'S ATOMIC THEORY

- 1808: Publication of Dalton's "A New System of Chemical Philosophy", which contained the atomic theory
- Dalton's theory attempted to explain two things:
 - (I) CONSERVATION OF MASS
 - The total amount of mass remains constant in any process, chemical or physical!

LAW OF DEFINITE PROPORTIONS (also called the LAW OF CONSTANT COMPOSITION): All pure samples of a given compound contain the same proportion of elements by mass

The parts of Dalton's theory

- 1) Matter is composed of small, chemically indivisible ATOMS
- ELEMENTS are kinds of matter that contain only a single kind of atom. All the atoms of an element have identical chemical properties.
- COMPOUNDS are kinds of matter that are composed of atoms of two or more ELEMENTS which are combined in simple, whole number ratios.


Most importantly,

- CHEMICAL REACTIONS are REARRANGEMENTS of atoms to form new compounds.
 - Atoms are not gained or lost during a chemical reaction.
 - Atoms do not change their identity during a chemical reaction.
 - All the atoms that go into a chemical reaction must go out again!

Another look at chemical reactions

The decomposition of hydrogen peroxide over time (or when poured over a cut) works like this:

... but wouldn't this mean that somehow an extra oxygen atom would form? Not according to Dalton's theory. Dalton's theory would predict a different RATIO of water and oxygen would form:



- Dalton's theory sets LIMITS on what can be done with chemistry. For example:
 - Chemistry can't convert lead (an element) into gold (another element). Sorry, alchemists!
 - You can't have a compound form in a chemical reaction that contains an element that was not in your starting materials.
 - You can only make a certain amount of desired product from a fixed amount of starting material.

Atomic structure

- Until the early 20th century, chemists considered atoms to be indivisible particles.
- The discovery of SUBATOMIC PARTICLES changed the way we view atoms!

The subatomic particles

PROTON

- a small, but relatively massive particle that carres an overall unit POSITIVE CHARGE

NEUTRON


- a small, but relatively massive, particle that carries NO CHARGE
- slightly more massive than the proton

ELECTRON

- a small particle that carries an overall unit NEGATIVE CHARGE
- about 2000 times LESS massive than either protons or neutrons


Putting it together...

- In the early 20th century, there was a debate on the structure of the atom.



NUCLEAR MODEL

- Atoms are mostly empty space
- <u>NUCLEUS</u>, at the center of the atom, contains protons and neutrons. This accounts for almost all the mass of an atom
- Electrons are located in a diffuse <u>ELECTRON CLOUD</u> surrounding the nucleus



Why are atoms stable (why don't they change identity) during a reaction? The nucleus of an atom is not involved in chemical reactions, and the nucleus controls what kind of atom you have!