IN WATER...

HA+ 
$$H_2O \Longrightarrow H_3O^+ + A^-$$

conjugate base of HA

HC2H3O2+  $H_2O \Longrightarrow H_3O^+ + C_2H_3O_2^-$  Acetic acid and water

B+H20 
$$=$$
 BH++OH-
base  $=$  conjugate acid of B

NH3+IH20  $=$  NHH++OH- Ammonia and water

This is why we often call an ammonia/water solution "ammonium hydroxide"!

In the red reactions, water functions as a base. In the blue reactions, water functions as a acid!

### LEWIS THEORY


- Lewis theory treats acid-base chemistry as ELECTRON-TRANSFER chemistry involving pairs of electrons
- Lewis acid-base reactions form new covalent bonds (of interest to organic chemists!)

### ACIDS are ACCEPTORS of electron pairs

... this is why some METAL IONS, even though they contain no hydorgen ions, can exhibit ACIDIC character. Many metal ions can accept a pair of electrons to form a COMPLEX with a Lewis base! ex,  $h_a(NH_3)_3^+$ 

BASES are DONORS of electron pairs.

... so, Lewis bases have LONE PAIRS OF ELECTRONS in their Lewis structures



... In a Lewis acid-base reaction, electrons are donated from the Lewis base to the Lewis acid. This forms a new COVALENT BOND between the acid and the base.

Example: ammonia and water


Overall:  $H_2O + NH_3 \rightleftharpoons NH_4^{\dagger} + OH^-$ 

- From Arrhenius to Lewis, the definitions get broader as you go along. In other woeds, the later definitions include MORE SUBSTANCES under the acid/base umbrella.

If something is an Arrhenius acid, it is also an acid in the Bronsted or Lewis picture. If something is an Arrhenius base, it is also a base in the Bronsted or Lewis picture.

All Bronsted acids are Lewis acids, and all Bronsted bases are Lewis bases.

... but not all Lewis acids/bases (like the metal ions) are Bronsted or Arrhenius acids/bases.



... We will primarily use the <u>BRONSTED-LOWRY</u> theory from this point in the course!

- Water self-ionizes!

$$2 H_{2}O \rightleftharpoons H_{3}O^{+} OH^{-}$$
or
$$H_{2}O \rightleftharpoons H^{+} + OH^{-}$$

This is an equilibrium reaction!

$$K = \frac{[H_3D^+][OH^-]}{[H_2O]^2}$$
(X) = molar concentration of "X"

In aqueous solution, ( $H_2D$ ) is essentially constant, so we roll that into K.

$$K_{w} = [H_{3}D^{+}][OH^{-}] = 1.0 \times 10^{-14}$$

This is the value at 25C

- The self-ionization of water has a small equilibrium constant. What does this imply?

THE CONCENTRATION OF HYDROXIDE AND HYDRONIUM ION IN PURE WATER IS VERY SMALL!

How small?

In pure water, the concentration of hydroxide and hydronium must be equal, since they are formed at the same time and at the same ratio from the ionization reaction of water.

Solve...

Let 
$$|x'| = [N_30^+] = [0N^-]$$
 $(X)(X) = |X|0^{-14}$ 
 $X^2 = |X|0^{-14}$ 
 $X = [1X10^{-7}M = [N_30^+] = [0N^-]$ 

- "p" notation helps us deal with the very small numbers we encounter when working with acids, bases, and water.

- based on log base 10

"p" means - 10910

On a calculator, use



So,

- Apply "p" notation to the water self-ionization reaction!

becomes ...

Taking the "p" (negative log base ten) of the equilibrium constant is often used for BUFFER SOLUTIONS, which we'll discuss later!

## **ACIDITY AND ALKALINITY**

- At pH = 7, pH = pOH. The solution is considered NEUTRAL

The pH scale...

## ph and temperature

This equation is valid at room temperature, specifically 25°C.

Equilibrium constants depend on TEMPERATURE, and change with temperature.

So, the "neutral" pH (where the concentration of hydroxide and hydronium ions are equal) CHANGES with changing temperatures

This change is important at temperatures greatly different from  $25^{\circ}$  C.

As an example, consider average "normal" human body temperature: 37° C

#### ACID-BASE EQUILIBRIUM IN WATER

- Like other ELECTROLYTES, acids and bases IONIZE to some extent in water
- STRONG electrolytes ionize completely. Acids and bases that ionize completely in water are called STRONG ACIDS and STRONG BASES
- WEAK electrolytes ionize partially, remaining mostly non-ionized. Acids and bases that ionize only partially in solution are called WEAK ACIDS and WEAK BASES.
- Most acids and bases are WEAK!

# Common strong acids

HCI HNO3 H2SO4 (only 1st proton) HBr HI

# Common strong bases

NaDH ] alkali metal KOH ] hydroxides (Group IA) (a(ou)2

### SIMPLE pH CALCULATIONS: STRONG ELECTROLYTES

- With strong acids and bases, the acid or base completely ionizes in water. So, we only have to worry about the effect of the acid or base on the water equilibrium itself.
- Since the equilibrium constant for the self-ionization of water is so small, the strong acid or base will overpower the hydronium (for acids) or hydroxide (for bases) produced by the water.

H20+H20 = H20++0H-; Kw=1.0x10-14

Consider a solution of 0.025 M nitric acid (a strong acid):

Assume thta all the hydronium ion in solution comes from the acid (rather than from the water equilibrium). (Le Chateleir's principle)

So, 
$$[N_30^{\dagger}] = [HNO_3]_{numinal} = 0.028 M N_30^{\dagger}$$
  
 $pH = -log_{10}(0.028 m) = [1.60]$  For log place

What would the HYDROXIDE concentration be?

$$[N_30^{\dagger}][ON^{-}] = 1.0 \times 10^{-14}$$
  
 $(0.0250)[ON^{-}] = 1.0 \times 10^{-14}$   
 $[OH^{-}] = 4.0 \times 10^{-13} M$ 

... which equals the amount of HYDRONIUM produced directly by the water,

For logarithms,. the places AFTER the decimal point are significant digits, while the numbers in front are not (they represent the exponent of the original number)