
- So how do you know which cation you're dealing with? For now, you'll have to be told
- Either the chemical formula of an ionic compound or the name of an ionic compound can tell you what charge is on the transition metal cation.


Examples:



- * We call this compound "iron(III) nitride" because it contains iron ions with a +3 charge.
- * iron(III) is pronounced "iron three"
- * We call this compound "iron(II) nitride" because it contains iron ions with a +2 charge.
- * iron(II) is pronounced "iron two"

POLYATOMIC IONS

- Some MOLECULES can gain or lose electrons to form CATIONS or ANIONS. These are called POLYATOMIC IONS
- Polyatomic ions form ionic compounds in the same way that single-element ions do.



See the web site or page 63 - table 2.5 (9th ed) or table 2.6 (10th ed) - for a list of common polyatomic ions!

NAMES OF IONS

To properly discuss ions and ionic compounds, we have to know how to name them!
 CATIONS

3 kinds:



Main group cations (metals that take only one charge when forming ions)

- The element's name is the same as the ion's name!



Transition metal cations (from metals that can form several cations)

- The CHARGE of the cation must be given. Use a ROMAN NUMERAL after the element name to indicate charge!



Polyatomic cations

- Memorize list.

ANIONS

2 kinds



Main-group nonmetals

- Use the STEM NAME of the element, then add "-ide" suffix

N³: "nitride" ion P³: "phosphide ion" S²: Sulfide ion

O : "oxide ion" F : "fluoride ion"



Polyatomic ions

- Memorize list.(see web site)

 $C_2H_3O_2$: "acetate ion" SO_4 : "sulfate ion"

 NO_3 : "nitrate ion" SO_3^2 "sulfite ion"

NO₂: "nitrite ion"

* Polyatomic ions ending in "-ate" and "-ite" suffixes always contain oxygen! "-ate" ions have more oxygen atoms than their "-ite" counterparts.

NAMING IONIC COMPOUNDS

- The name of the compound is based on the name of the ions in the compound


- Cation first, anion second


Examples:


magnesium hydroxide

sodium sulfide

beryllium bromide







* Remember to include the Roman numeral for CHARGE when you're writing transition metal compound names!

Page 63 (9th edition): Chart of polyatomic ions Page 64 (10th edition)


NAMING IONIC COMPOUNDS

(NH4)25

ammonium sulfide

iron(II) carbonate

titanium(IV) sulfide



- The name of an ionic compound is made of the names of the CATION and ANION in the compound.
- To get the FORMULA, you must figure out the SMALLEST RATIO of cation to anion that makes the charges balance out

Examples:

iron(III) carbonate

Fe₂((0₃)₃

potassium sulfide

K + S² K + K 2 S calcium bromide

Cat Br Br


Cabra

DETERMINING IONIC FORMULAS

sodium sulfate

Nat 504 Nat

Vaz Soy tin(II) phosphate



barium hydroxide

strontium oxide

chromium(III) nitrate

titanium(IV) chloride



- many ionic compounds are formed by crystallizing the compound from water. Sometimes, this causes water molecules to become part of the crystal structure.
- This water is present in a definite ratio to the ions in the compound. Can be removed by heating, but will NOT evaporate if the compound is left standing.

water molecules per formula unit of compound

CuSou SH20

dot indicates that the water is weakly bound to the ionic compound

- many DESSICANTS are hydrates that have had their water molecules driven off. They will slowly reabsorb water from the air (and keep the environment in a dessicator at a low humidity)

- Hydrates are named using the name of the ionic compound, and a Greek prefix in front of the word "hydrate" to indicate how many water molecules are associated

copper (11) sulfate pentahydrate

"copper(II)"?