


## HYDRATES

- many ionic compounds are formed by crystallizing the compound from water. Sometimes, this causes water molecules to become part of the crystal structure.


- This water is present in a definite ratio to the ions in the compound. Can be removed by heating, but will NOT evaporate if the compound is left standing.



- many DESSICANTS are hydrates that have had their water molecules driven off. They will slowly reabsorb water from the air (and keep the environment in a dessicator at a low humidity)

- Hydrates are named using the name of the ionic compound, and a Greek prefix in front of the word "hydrate" to indicate how many water molecules are associated

Copper (II) sulfate pentahydrate



## MOLECULAR COMPOUNDS

- There are several kinds of molecular compound. We will learn to name two simple but important classes

### ① BINARY MOLECULAR COMPOUNDS

- molecular compounds containing only two elements

### ② ACIDS

- molecular compounds that dissolve in water to release  $H^+$  ions
- corrosive to metals (react with many to produce hydrogen gas)
- contact hazard: can cause chemical burns to eyes and skin
- sour taste
- turn litmus indicator RED
- two kinds of acids:

#### ① BINARY ACIDS

- contain hydrogen and one other element

#### ② OXYACIDS

- contain hydrogen, OXYGEN, and another element

Usually from  
Group VIIA

## BINARY MOLECULAR COMPOUNDS

- Named based on the elements they contain, plus prefixes to indicate the number of atoms of each element in each molecule

### ① FIRST ELEMENT

- Add a GREEK PREFIX to the name of the element.
- Omit the "MONO-" (1) prefix if there is only one atom of the first element

### ② SECOND ELEMENT

- Add a GREEK PREFIX to the STEM NAME of the element
- Add the suffix "-ide" (as if you were naming an anion)
- DO NOT omit the "mono-" prefix if there is only one atom of the second element

SEE COURSE WEB SITE FOR A LIST OF GREEK PREFIXES!  
THESE ARE THE SAME PREFIXES USED FOR THE HYDRATES!

## BINARY MOLECULAR COMPOUNDS

Examples:

$\text{BF}_3$   
boron  
trifluoride

$\text{Cl}_2\text{O}_7$   
dichlorine  
hept(a)oxide

$\text{CO}$   
carbon  
monoxide

$\text{CO}_2$   
carbon  
dioxide

\*Note: metalloids like boron behave chemically like nonmetals do.

carbon tetrachloride



dihydrogen monoxide



dinitrogen tetrafluoride



$\text{MgCl}_2$  : Called magnesium chloride, NOT ,magnesium dichloride. This one isn't a binary molecular compound. It's ionic. We can tell easily since the first element in the compound is a metal, and most metal-containing compounds are ionic!

## ACIDS

## ① BINARY ACIDS

- named after the element (other than hydrogen) they contain
- common binary acids include a Group VIIA element
- named: "Hydro-" + STEM NAME OF ELEMENT+ "-ic acid"

Four  
common  
binary  
acids

$\text{HF}$  : hydrofluoric acid \* dissolves glass!

$\text{HCl}$  : hydrochloric acid \* most common binary acid!

$\text{HBr}$  : hydrobromic acid

$\text{HI}$  : hydroiodic acid

## ② OXYACIDS


- Easy to think about as HYDROGEN IONS combined with POLYATOMIC IONS

- These acids are not true ionic compounds, but they interact with water to PRODUCE ions!


- named based on the polyatomic ion they contain, with an ending change:

① - ions ending in -ATE form acids ending in -IC


② - ions ending in -ITE form acids ending in -OUS




sulfuric  
acid



phosphoric  
acid



sulfurous  
acid




nitric  
acid

## OXYACID EXAMPLES

acetic acid

based on ACETATE




nitrous acid

based on NITRITE



carbonic acid

based on CARBONATE



The number of hydrogen atoms at the beginning of the formula equals the charge of the anion the acid is based on!

## SUMMING UP CHEMICAL NOMENCLATURE

- You need to be able to tell, by looking at a name OR a formula, what kind of compound you are working with!

DON'T GET THE NAMING SYSTEMS MIXED UP! EACH KIND OF COMPOUND IS NAMED WITH ITS OWN SYSTEM!

FROM A CHEMICAL NAME

- If the name has a Roman numeral, the name of a metal, or "ammonium", the compound is likely IONIC
- If the name has a Greek prefix AND the prefix is NOT in front of the word "hydrate", the compound is BINARY MOLECULAR
- If the name contains the word "acid":
  - ... and starts with "hydro-", then the compound is a BINARY ACID
  - ... and does not start with "hydro-", the compound is an OXYACID



78 FROM A CHEMICAL FORMULA

- if the formula contains a metal or the  $\text{NH}_4^+$  ion, it is likely IONIC

- If the formula starts with H and is not either water ( $\text{H}_2\text{O}$ ) or hydrogen peroxide ( $\text{H}_2\text{O}_2$ ), the compound is likely an ACID. Which kind?

- BINARY ACIDS contain only two elements

- OXYACIDS contains oxygen

- If the formula contains only nonmetals (and is not an ammonium compound or an acid), the compound is likely MOLECULAR

Examples:

$\text{PCl}_3$  : BINARY MOLECULAR  
Name: phosphorus trichloride


$\text{NH}_4\text{Cl}$  : IONIC (ammonium ion)  
Name: ammonium chloride

$\text{H}_3\text{PO}_4$  : OXYACID (hydrogen, phosphate)  
Name: phosphoric acid

$\text{Fe}(\text{OH})_2$  : IONIC (iron, a metal)  
Name: iron(II) hydroxide

## CHEMICAL EQUATIONS

- are the "recipes" in chemistry
- show the substances going into a reaction, substances coming out of the reaction, and give other information about the process



REACTANTS - materials that are needed for a reaction

PRODUCTS - materials that are formed in a reaction

COEFFICIENTS - give the ratio of molecules/atoms of one substance to the others


PHASE LABELS - give the physical state of a substance:

(s) - solid


(l) - liquid

(g) - gas

(aq) - aqueous. In other words, dissolved in water




+



→



## CHEMICAL EQUATIONS




REACTION CONDITIONS - give conditions necessary for chemical reaction to occur. May be:

- $\Delta$  apply heat
  - catalysts - substances that will help reaction proceed faster
  - other conditions, such as required temperatures
- Reaction conditions are usually written above the arrow, but may also be written below if the reaction requires several steps or several different conditions

## COEFFICIENTS

- Experimentally, we can usually determine the reactants and products of a reaction
- We can determine the proper ratios of reactants and products WITHOUT further experiments, using a process called BALANCING
- BALANCING a chemical equation is making sure the same number of atoms of each element go into a reaction as come out of it.
- A properly balanced chemical equation has the smallest whole number ratio of reactants and products.
- There are several ways to do this, but we will use a modified trial-and-error procedure.

## BALANCING





① Pick an element. Avoid (if possible) elements that appear in more than one substance on each side of the equation.

② Change the coefficients on substances containing this element so that the same number of atoms of the element are present on each side. **CHANGE AS LITTLE AS POSSIBLE!**

③ Repeat 1-2 until all elements are done.

④ Go back and quickly VERIFY that you have the same number of atoms of each element on each side. If you used any fractional coefficients, multiply each coefficient by the **DENOMINATOR** of your fraction.

**Use SMALLEST WHOLE NUMBER RATIOS!**




... We used 5/2 (or 2 1/2) as our coefficient for oxygen on the left side, BUT we really need whole numbers. To get a ratio of whole numbers, multiply ALL the coefficients by the denominator of the fraction we used (in this case, 2).



- 1 - Avoid H, balance S, since H shows up twice on the left.
- 2 - Avoid O, balance Na - since O shows up in all four compounds!
- 3 - Balance H - since it shows up less often than O.
- 4 - Balance O (it's already done!)

## CHEMICAL CALCULATIONS - RELATING MASS AND ATOMS



Chemical equations are written  
and balanced in terms of  
ATOMS and MOLECULES


- While chemical equations are written in terms of ATOMS and MOLECULES, that's NOT how we often measure substances in lab!
- measurements are usually MASS (and sometimes VOLUME), NOT number of atoms or molecules!

## THE MOLE CONCEPT

- A "mole" of atoms is  $6.022 \times 10^{23}$  atoms

Why so big? Because atoms are so small!

- Why - in the metric dominated world of science - do we use such a strange number for quantity of atoms?



carbon-12

The mole is also defined as the number of carbon-12 atoms in exactly 12 g of carbon-12



## THE MOLE CONCEPT

- Why define the mole based on an experimentally-measured number?
- The atomic weight of an element (if you put the number in front of the unit GRAMS) is equal to the mass of ONE MOLE of atoms of that element!

Carbon (C): Atomic mass 12.01 amu ~~amu~~ → 12.01 g

↓


the mass of ONE MOLE of naturally-occurring carbon atoms

Magnesium (Mg): 24.31 g = the mass of ONE MOLE OF MAGNESIUM ATOMS

- So, using the MOLE, we can directly relate a mass and a certain number of atoms!

## RELATING MASS AND MOLES

- Use DIMENSIONAL ANALYSIS (a.k.a "drag and drop")
- Need CONVERSION FACTORS - where do they come from?
- We use ATOMIC WEIGHT as a conversion factor.



Example: How many moles of atoms are there in 250. g of magnesium metal?

$$24.31 \text{ g Mg} = 1 \text{ mol Mg}$$

$$250. \text{ g Mg} \times \frac{1 \text{ mol Mg}}{24.31 \text{ g Mg}} = 10.3 \text{ mol Mg}$$

Atomic mass/weight is a measured quantity, so it has significant figures! Usually, if you need an atomic weight with more than four significant figures, you can find one in a data book.