## CHEMICAL EQUATIONS

- are the "recipes" in chemistry

- show the substances going into a reaction, substances coming out of the reaction, and give other information about the process

$$\operatorname{MgCl}_{2}(\operatorname{aq}) + \operatorname{MgNO}_{3}(\operatorname{aq}) \xrightarrow{\vee} 2\operatorname{AgCl}(\operatorname{s}) + \operatorname{Mg(NO}_{3})_{2}(\operatorname{aq})$$

"vialde"

REACTANTS - materials that are needed fot a reaction


PRODUCTS - materials that are formed in a reaction

COEFFICIENTS - give the ratio of molecules/atoms of one substance to the others

PHASE LABELS - give the physical state of a substance:

- (s) -solid
- (I) liquid
- (g) gas

(aq) - aqueous. In other words, dissolved in water



CHEMICAL EQUATIONS  $2M_{g}(s) + O_{2}(g) \xrightarrow{\Delta} 2M_{g}O(s)$ 

REACTION CONDITIONS - give conditions necessary for chemical reaction to occur. May be:

- $\triangle$  apply heat
- catalysts substances that will help reaction proceed faster
- other conditions, such as required temperatures

- Reaction conditions are usually written above the arrow, but may also be written below if the reaction requires several steps or several different conditions

## COEFFICIENTS

- Experimentally, we can usually determine the reactants and products of a reaction

- We can determine the proper ratios of reactants and products WITHOUT further experiments, using a process called BALANCING

- BALANCING a chemical equation is making sure the same number of atoms of each element go into a reaction as come out of it.

- A properly balanced chemical equation has the smallest whole number ratio of reactants and products.

- There are several ways to do this, but we will use a modified trial-and-error procedure.

BALANCING  

$$C_{2}H_{g} + SO_{2} \rightarrow 3CO_{2} + 4H_{2}O$$
  
 $C_{3}H_{gen} \rightarrow \frac{2}{10} = 6 + 4 = 10$ 

Pick an element. Avoid (if possible) elements that appear in more than one substance on each side of the equation.



Repeat 1-2 until all elements are done.

Go back and quickly <u>VERIFY</u> that you have the same number of atoms of each element on each side, If you used any fractional coefficients, multiply each coefficient by the DENOMIMATOR of your fraction.

Use SMALLEST WHOLE NUMBER RATIOS!

BALANCING  $3M_{g}Cl_{2} + 2N_{a_{3}}PO_{4} \rightarrow M_{g_{3}}(PO_{4})_{2} + 6NaC|$ 


We used a coefficient of 2 1/2 to balance the oxygenatoms, BUT we need small whole number coefficients for the equation to be properly bananced. To fix this, multiply all the coefficients by the denominator of the fraction ... in this case, 2.

$$2C_2H_2 + 5O_2 \longrightarrow 4CO_2 + 2H_2O$$

 $H_2SO_H + 2N_aOH \longrightarrow N_{a_2}SO_4 + 2H_2O$ 

- 1 Avoid H, balance S. (H shows up in two compounds on the left side)
- 2 Avoid O, balance Na. (O shows up in all four compounds)
- 3 Now balance H, since it shows up less than O.
- 4 Balance O ... it's already balanced!


CHEMICAL CALCULATIONS - RELATING MASS AND ATOMS




- While chemical equations are written in terms of ATOMS and MOLECULES, that's NOT how we often measure substances in lab!

- measurements are usually MASS (and sometimes VOLUME), NOT number of atoms or molecules!

## THE MOLE CONCEPT



- Why - in the metric dominated world of science - do we use such a strange number for quantity of atoms?



## THE MOLE CONCEPT

- Why define the mole based on an experimentally-measured number?

- The atomic weight of an element (if you put the number in front of the unit GRAMS) is equal to the mass of ONE MOLE of atoms of that element!

Carbon (C): Atomic mass 12.01 and 
$$-7$$
 12.01 g  
the mass of ONE MOLE of

Magnesium (Mg): 24.31 g = the mass of ONE MOLE OF MAGNESIUM ATOMS

naturally-occurring carbon atoms

- So, using the MOLE, we can directly relate a mass and a certain number of atoms!

RELATING MASS AND MOLES

- Use DIMENSIONAL ANALYSIS (a.k.a "drag and drop")

- Need CONVERSION FACTORS - where do they come from?

- We use ATOMIC WEIGHT as a conversion factor.

$$M_{g} : 24.31 | 24.31 g M_{g} = 1 \mod M_{g}$$
  

$$M_{g} : 24.31 | 24.31 g M_{g} = 1 \mod M_{g}$$
  

$$M_{g} : M_{$$

Example: How many moles of atoms are there in 250. g of magnesium metal? 24.31 g Mg = mol Mg 250, g Mg  $\chi \frac{mol Mg}{24.31 g Mg} = 10.3 mol Mg$ 

ATOMIC WEIGHT is a MEASURED number - in other words, it has significant figures. Usually we can find atomic weights with more significant figures if necessary. Example: You need 1.75 moles of iron. What mass of iron do you need to weigh out on the balance?

WHAT ABOUT COMPOUNDS? FORMULA WEIGHT

Example: 25.0 g of WATER contain how many MOLES of water molecules?

H<sub>2</sub>0: 
$$H: 2 \times 1.008 = 2.016$$
  
0:1 × 16.00 = 16.00  
16.016 FORMULA WEIGHT of water  
FORMULA WEIGHT is the mass of one mole  
of either an element OR a compound.  
S.0 y H<sub>2</sub>0 x  $\frac{mul H_20}{18.016 g H_20} = 1.39 mul H_20$ 

Formula weight goes by several names:

- For atoms, it's the same thing as ATOMIC WEIGHT
- For molecules, it's called MOLECULAR WEIGHT
- Also called "MOLAR MASS"