

Converting from one unit to another

We will use the method of dimensional analysis, sometimes called the factor-label method.
... or, the "drag and drop" method!

Dimensional analysis uses conversion factors to change between one unit and another

What's a conversion factor? A simple equality.

Example

$$12 \text{ in} = 1 \text{ ft}$$

Conversion factors in metric

In the metric system, conversion factors between units may always be made from the metric prefixes!

For example, "kilo-" means 10^3

$$k = 10^3$$

so

$$kg = 10^3 g$$

$$km = 10^3 m$$

$$ks = 10^3 s$$

$$kL = 10^3 L$$

Just apply the prefix to the base unit!

How do we actually USE a conversion factor?

Convert 15.75 m to cm

$$15.75 \cancel{\text{m}} \times \frac{\text{cm}}{10^{-2} \cancel{\text{m}}} = 1575 \text{ cm}$$

$\text{cm} = 10^{-2} \text{ m}$

* Similar to...

If $X = 2$, then

$$\frac{X}{2} = 1$$

15.75 / [EE]-2 .. on TI-83

* This fraction equals one, so multiplying by it does not change the VALUE of the number, only its UNITS!

Convert 0.01893 kg to g

$$0.01893 \cancel{\text{kg}} \times \frac{10^3 \text{ g}}{\cancel{\text{kg}}} = 18.93 \text{ g}$$

$\text{kg} = 10^3 \text{ g}$

DRAG AND DROP

- Drag the part of the factor that contains the unit you want to get rid of (cancel out) to the BOTTOM.

- Then, drag the other half of the factor to the TOP

Convert 14500 mg to kg

$$\text{mg} = 10^{-3} \text{g}$$

$$\text{kg} = 10^3 \text{g}$$

$$14500 \text{ mg} \times \frac{10^{-3} \text{ g}}{\text{mg}} \times \frac{\text{kg}}{10^3 \text{ g}} = 0.0145 \text{ kg}$$

Convert 0.147 cm^2 to m^2

$$1 \text{ cm} = 10^{-2} \text{ m}$$

<- Don't use squared or cubed units when making a factor!

$$0.147 \text{ cm}^2 \times \frac{10^{-2} \text{ m}}{\text{cm}} \times \frac{10^{-2} \text{ m}}{\text{cm}} = 1.47 \times 10^{-5} \text{ m}^2$$

(0.0000147 m^2)

For squared and cubed units, use each conversion factor two (for squared) or three (for cubed) times. Think of squared and cubed units this way:

$$1 \text{ m}^2 = 1 \text{ m} \times 1 \text{ m}$$

$$1 \text{ m}^3 = 1 \text{ m} \times 1 \text{ m} \times 1 \text{ m}$$

... and it should make sense.

8.45 kg to μg $\text{kg} = 10^3 \text{g}$ $\mu\text{g} = 10^{-6} \text{g}$

$$8.45 \cancel{\text{kg}} \times \frac{10^3 \text{g}}{\cancel{\text{kg}}} \times \frac{\mu\text{g}}{10^{-6} \text{g}} = \boxed{8.45 \times 10^9 \mu\text{g}}$$

(8450000000 μg)

88100 kHz to MHz

$\text{Hz} = \text{s}^{-1}$ (Frequency)

$\text{kHz} = 10^3 \text{Hz}$

$\text{MHz} = 10^6 \text{Hz}$

$$88100 \cancel{\text{kHz}} \times \frac{10^3 \cancel{\text{Hz}}}{\cancel{\text{kHz}}} \times \frac{\text{MHz}}{10^6 \cancel{\text{Hz}}} = \boxed{88.1 \text{MHz}}$$

Convert 38.47 in to m, assuming 2.54 cm = 1 in

$$2.54 \text{ cm} = 1 \text{ in} \quad 1 \text{ cm} = 10^{-2} \text{ m}$$

$$38.47 \text{ in} \times \frac{2.54 \text{ cm}}{1 \text{ in}} \times \frac{10^{-2} \text{ m}}{1 \text{ cm}} = 0.9777 \text{ m}$$

Convert 12.48 km to in

$$2.54 \text{ cm} = 1 \text{ in} \quad 1 \text{ cm} = 10^{-2} \text{ m}$$

$$1 \text{ km} = 10^3 \text{ m}$$

$$12.48 \text{ km} \times \frac{10^3 \text{ m}}{1 \text{ km}} \times \frac{1 \text{ cm}}{10^{-2} \text{ m}} \times \frac{1 \text{ in}}{2.54 \text{ cm}} = 491300 \text{ in}$$

Accuracy and Precision

- two related concepts that you must understand when working with measured numbers!

Accuracy

- how close a measured number is to the CORRECT (or "true") value of what you are measuring
- "Is it right?"
- checked by comparing measurements against a STANDARD (a substance or object with known properties)

Precision

- how close a SET of measured numbers are to EACH OTHER
- "Can I reproduce this?"
- checked by repeated measurements