- You need to be able to tell, by looking at a name OR a formula, what kind of compound you are working with!

DON'T GET THE NAMING SYSTEMS MIXED UP! EACH KIND OF COMPOUND IS NAMED WITH ITS OWN SYSTEM!

FROM A CHEMICAL NAME

- If the name has a Roman numeral, the name of a metal, or "ammonium", the compound is likely IONIC

- If the name has a Greek prefix AND the prefix is NOT in front of the word "hydrate", the compound is <u>BINARY MOLECULAR</u>

- If the name contains the word "acid":

... and starts with "hydro-", then the compound is a BINARY ACID

... and does not start with "hydro-", the compound is an OXYACID

FROM A CHEMICAL FORMULA

- if the formula contains a metal or the NH $\frac{+}{4}$ ion, it is likely I<u>ONIC</u>

 H_2O H_2O_2 - If the formula starts with H and is not either water or hydrogen peroxide, the compound is likely an ACID. Which kind?

- BINARY ACIDS contain only two elements

<u>OXYACIDS</u> contains oxygen

- If the formula contains only nonmetals (and is not an ammonium compound or an acid), the compound is likely MOLECULAR

Examples:

 $P(1_{3}: BINARY MOLECULAR \\ Name: phosphorus trichloride \\ NH_{4} CI: DNIC (ammonium ion) \\ Name: ammonium chloride \\ Name: ammonium chloride \\ Name: ammonium chloride \\ NH_{4} CI: DNIC (ammonium ion) \\ Name: ammonium chloride \\ Name: ammonium chloride \\ NH_{4} CI: DNIC (ammonium ion) \\ Name: ammonium chloride \\ NH_{4} CI: DNIC (ammonium ion) \\ Name: ammonium chloride \\ NH_{4} CI: DNIC (ammonium ion) \\ Name: ammonium chloride \\ NH_{4} CI: DNIC (ammonium ion) \\ NH_{4} CI: DNIC (ammonium io$ $H_{3}PO_{H}$: OXYACID (hydrogen, phosphate) $Fe(OH)_{2}$: IONIC (starts with a metal) Name: phosphoric acid

CHEMICAL EQUATIONS

- are the "recipes" in chemistry

- show the substances going into a reaction, substances coming out of the reaction, and give other information about the process

$$\operatorname{MgCl}_{2}(\operatorname{aq}) + \operatorname{MgNO}_{3}(\operatorname{aq}) \xrightarrow{\vee} 2\operatorname{AgCl}(\operatorname{s}) + \operatorname{Mg(NO}_{3})_{2}(\operatorname{aq})$$

"vialde"

REACTANTS - materials that are needed fot a reaction


PRODUCTS - materials that are formed in a reaction

COEFFICIENTS - give the ratio of molecules/atoms of one substance to the others

PHASE LABELS - give the physical state of a substance:

- (s) -solid
- (I) liquid
- (g) gas

(aq) - aqueous. In other words, dissolved in water



CHEMICAL EQUATIONS $2M_{g}(s) + O_{2}(g) \xrightarrow{\Delta} 2M_{g}O(s)$

REACTION CONDITIONS - give conditions necessary for chemical reaction to occur. May be:

- \triangle apply heat
- catalysts substances that will help reaction proceed faster
- other conditions, such as required temperatures

- Reaction conditions are usually written above the arrow, but may also be written below if the reaction requires several steps or several different conditions

COEFFICIENTS

- Experimentally, we can usually determine the reactants and products of a reaction

- We can determine the proper ratios of reactants and products WITHOUT further experiments, using a process called BALANCING


- BALANCING a chemical equation is making sure the same number of atoms of each element go into a reaction as come out of it.

- A properly balanced chemical equation has the smallest whole number ratio of reactants and products.

- There are several ways to do this, but we will use a modified trial-and-error procedure.

BALANCING

Pick an element. Avoid (if possible) elements that appear in more than one substance on each side of the equation.



Repeat 1-2 until all elements are done.



Go back and quickly <u>VERIFY</u> that you have the same number of atoms of each element on each side, If you used any fractional coefficients, multiply each coefficient by the DENOMIMATOR of your fraction.

Use SMALLEST WHOLE NUMBER RATIOS!

BALANCING $3M_{g}Cl_{2} + 2N_{a_{3}}PO_{4} \rightarrow M_{g_{3}}(PO_{4})_{2} + 6NaCI$

 $(_{2}H_{2} + 2\frac{1}{2}O_{2} \longrightarrow 2(O_{2} + H_{2}O_{2})$ $\vec{f}_{c} \xrightarrow{1} \qquad 4 \qquad + 1 = 5$


We used a fractional coefficient (2 1/2) for oxygen on the left side of the equation. BUT, we need to balance with WHOLE NUMBERS. How do we fix this? Multiply ALL the coefficients by the denominator of the fraction (in this case, 2).

$$2(_{2}H_{2} + 5.0_{2} \rightarrow 4(0_{2} + 2H_{2}O))$$

$$H_2SO_H + 2NaOH \longrightarrow Na_2SO_4 + 2H_2O$$

- 1 Avoid H, balance S. H shows up twice on the left.
- 2 Avoid O, balance Na. O shows up in ALL FOUR compounds.
- 3 Balance H, since it shows up in fewer compounds than O.
- 4 Finally, balance O. (They're already balanced!)


CHEMICAL CALCULATIONS - RELATING MASS AND ATOMS




- While chemical equations are written in terms of ATOMS and MOLECULES, that's NOT how we often measure substances in lab!

- measurements are usually MASS (and sometimes VOLUME), NOT number of atoms or molecules!

THE MOLE CONCEPT



- Why - in the metric dominated world of science - do we use such a strange number for quantity of atoms?



THE MOLE CONCEPT

- Why define the mole based on an experimentally-measured number?

- The atomic weight of an element (if you put the number in front of the unit GRAMS) is equal to the mass of ONE MOLE of atoms of that element!

Carbon (C): Atomic mass 12.01 and
$$-7$$
 12.01 g
the mass of ONE MOLE of

Magnesium (Mg): 24.31 g = the mass of ONE MOLE OF MAGNESIUM ATOMS

naturally-occurring carbon atoms

- So, using the MOLE, we can directly relate a mass and a certain number of atoms!