

PREDICTING CHARGES

- how do you figure out the charge that an element might take when it becomes an ion?

- for many main group elements, you can predict the charge using the periodic table!

| IA | | | | | | | | | | | | | | | | VIIIA | |
|----|-----|---------|-----|----|-----|------|------------|-------|------|------|------|--------|-----|-------|------|-------|----|
| Н | IIA | 1 | | | | | | | | | т | IIIA | IVA | VA | VIA | VIIA | He |
| Li | Be | | | | | | | | | | | В | С | Ν | 0 | F | Ne |
| Na | Mg | IIIB | IVB | VB | VIB | VIIB | , <u> </u> | VIIIB | | IB | IIB | AI | Si | Ρ | S | CI | Ar |
| К | Са | Sc | Ti | V | Cr | Mn | Fe | Со | Ni | Cu | Zn | Ga | Ge | As | Se | Br | Kr |
| Rb | Sr | Y | Zr | Nb | Мо | Тс | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Те | | Xe |
| Cs | Ba | ¥ La | Hf | Ta | W | Re | Os | lr | Pt | Au | Hg | TI | Pb | Bi | Ро | At | Rn |
| Fr | Ra | AC | Rf | Db | Sg | Bh | Hs | Mt | *"ir | ner" | trar | nsitio | n m | etals | s go | here |) |

Elements in group VIIIA - the "noble gases" - do not form ions!

Many OTHER main-group elements form either anions or cations that have the same overall number of electrons as the NEAREST (in terms of atomic number) noble gas!

| IA | 1 | PREDICTING CHARGE | | | | | | | | | | | | | | | VIIIA |
|----|-----|---|-----|----|-----|------|-----|-------|------|------|----------|--------|-----|-------|------|----------|----------------------|
| Н | IIA | You can reliably determine the charge using our TVA VA VA VIA VIA | | | | | | | | | | | | | | | He |
| Li | Be | method for Groups IA, IIA, IIIB, Aluminum, and | | | | | | | | | | | | | | ۱٥ Ne | |
| Na | Mg | IIIB | IVB | VB | VIB | VIIB | · \ | VIIIB | | IB | → IIB | AI | Si | Ρ | S | CI | γ α Ar |
| К | Са | Sc | Ti | V | Cr | Mn | | Со | | Cu | Zn | Ga | Ge | As | Se | Br | 36 Kr |
| Rb | Sr | Y | Zr | Nb | Мо | Тс | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Те | | Xe |
| Cs | Ba | Ļa * | Hf | Ta | W | Re | Os | lr | Pt | Au | Hg | TI | Pb | Bi | Ро | At | Rn |
| Fr | Ra | AC | Rf | Db | Sg | Bh | Hs | Mt | *"ir | ner" | trar | nsitio | n m | etals | s go | here |) |

Aluminum (AI): At atomic number 13, it is three electrons away from neon (Ne), and 5 electrons away from argon (Ar). Prediction: Aluminum will lose three electrons to form the cation Al 37

Bromine (Br): At atomic number 35, bromine is one electron away from krypton (Kr). Prediction: Bromine will gain one electron to form the anion Br

Strontium (Sr): At atomic number 38, strontium is two electrons away from krypton. Prediction: Strontium will lose two electrons to form the cation Sr²⁺

| | ` —-I | EXAMPLES | | | | | | | | | | | | | | | VIIIA |
|----|----------|----------|-----|----|-----|------|-----|-------|------|------|------|--------|-----|-------|------------|------|-------|
| Н | IIA | Ju | | | | | | | | | | IIIA | IVA | VA | VIA | VIIA | He |
| Li | Be | | | | | | | | | | | В | С | Ν | \bigcirc | F | Ne |
| No | Mg | IIIB | IVB | VB | VIB | VIIB | , \ | VIIIB | | IB | IIB | ÂÌ | Si | Ρ | S | CI | Ar |
| K |) Ca | Sc | Ti | V | Cr | Mn | Fe | Со | Ni | Cu | Zn | Ga | Ge | As | Se | Br | Kr |
| R | S Sr | Y | Zr | Nb | Мо | Тс | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Те | I | Xe |
| С | s Ba | Ļå | Hf | Ta | W | Re | Os | lr | Pt | Au | Hg | TI | Pb | Bi | Ро | At | Rn |
| Fr | Ra | AC | Rf | Db | Sg | Bh | Hs | Mt | *"ir | ner" | trar | nsitic | n m | etals | s go | here |) |


Find the formulas of:

(1) an ionic compound containing AI and Br(2) an ionic compound containing Mg and O(3) an ionic compound containing S and K

41'5+ Br M 2+ M2-



* an ionic compound containing AI and Br



Find the formula of:

* an ionic compound containing Mg and O


Mg²r 02-

Find the formula of:

* an ionic compound containing S and K

 \leq

Reminder: In an ionic formula, we write . CATIONS (+ charge) before ANIONS (- charge)



The transition metals always form CATIONS!


However, many transition metals are capable of forming SEVERAL DIFFERENT CATIONS!

Example: Iron (Fe) forms two cations, depending on the situation: Fe^{2t} or Fe

TRANSITION METAL CATIONS

- So how do you know which cation you're dealing with? For now, you'll have to be told

- Either the chemical formula of an ionic compound or the name of an ionic compound can tell you what charge is on the transition metal cation.



* The form of iron ion in this compound (with a +2 charge) is called "iron(II)" ... pronounced "iron two". The compound is called "iron(II) nitride".

$$\frac{Fe}{Fe^{3+}N^{3-}}$$


$$\frac{Fe^{3+}N^{3-}}{+3 \leftarrow -3}$$

* The form of iron ion in this compound (with a +3 charge) is called "iron(III)" ... pronounced "iron three". The compound is called "iron(III) nitride".

POLYATOMIC IONS

- Some MOLECULES can gain or lose electrons to form CATIONS or ANIONS. These are called POLYATOMIC IONS

- Polyatomic ions form ionic compounds in the same way that single-element ions do.



(p130 - 7th edition)

97

NAMES OF IONS


- To properly discuss ions and ionic compounds, we have to know how to name them! CATIONS


3 kinds:

1) Main group cations (metals that take only one charge when forming ions)

- The element's name is the same as the ion's name!

Mg²⁺: "magnesium ion"





NAMING IONIC COMPOUNDS


- The name of the compound is based on the name of the ions in the compound
- Cation first, anion second (drop the word "ion") Examples:

My (OH)2 magnesium hydroxide

 N_{α_2} S sodium sulfide

BeBrz

beryllium bromide



Remember to include the Roman numeral for CHARGE in the name of transition metal compounds!