## ACID/BASE EQUILIBRIUM

- Several scientific theories exist that define acid-base chemistry. We will discuss THREE of these theories.
- These theories differ in the way that acids, bases, and their associated reactions are defined.
- Typically, the newer theories include MORE chemicals under the umbrella of "acid-base chemistry"!

#### THREE ACID-BASE THEORIES

- (I) Arrhenius theory
- (2) Bronsted-Lowry theory
- (3) Lewis theory

- The oldest model of acid-base chemistry!

- Only applicable to systems where WATER is the solvent!

ACIDS are substances that ionize in water to increase the concentration of HYDRONIUM ION

$$HA + H_2O = H_3O^{\dagger} + A^{-}$$
Hydronium ion

or, for simplicity: 
$$HA \stackrel{H_2O}{\longrightarrow} H^{\dagger} + A^{-}$$

"Hydrogen ion" - doesn't really exist as a free ion in water, but a convenient simplification!

# BASES are substances that ionize in water to increase the concentration of HYDROXIDE ION

For soluble metal hydroxides:  $V_{\alpha}O_{H} \rightarrow V_{\alpha}^{+} + O_{H}^{-}$   $MOH \stackrel{HzO}{\longleftarrow} M^{+} + OH^{-}$ Hydroxide ion

For other Arrhenius bases:

An Arrhenius acid base reaction can be represented by:

$$H_3O^+ + OH^- \rightleftharpoons 2H_2O$$
 "neutralization"

or, using hydrogen ion instead of hydronium


#### **BRONSTED-LOWRY THEORY**




- Bronsted-Lowry theory views acid-base reactions as <u>PROTON</u> TRANSFER reactions!

#### **ACIDS are PROTON DONORS**


#### **BASES are PROTON ACCEPTORS**



A CONJUGATE PAIR is an acid and a base that differ by a proton!



... you should be able to write the products of a Bronsted-Lowry acid-base reaction, identifying the CONJUGATE PAIRS



B+H20 
$$=$$
 BH++OH-
base conjugate acid
of B

NH3+IH20  $=$  NH4+OH-
This is why we often call an ammonia/water solution "ammonium hydroxide"!

In the red reactions, water functions as a base. In the blue reactions, water functions as a acid!

#### LEWIS THEORY


- Lewis theory treats acid-base chemistry as ELECTRON-TRANSFER chemistry involving pairs of electrons
- Lewis acid-base reactions form new covalent bonds (of interest to organic chemists!)

### ACIDS are ACCEPTORS of electron pairs

... this is why some METAL IONS, even though they contain no hydorgen ions, can exhibit ACIDIC character. Many metal ions can accept a pair of electrons to form a COMPLEX with a Lewis base! ex,  $h_a(NH_3)_3^+$ 

BASES are DONORS of electron pairs.

... so, Lewis bases have LONE PAIRS OF ELECTRONS in their Lewis structures



... In a Lewis acid-base reaction, electrons are donated from the Lewis base to the Lewis acid. This forms a new COVALENT BOND between the acid and the base.

## Example: ammonia and water


Overall: 
$$H_2O + NH_3 \rightleftharpoons NH_4^{\dagger} + OH^-$$

- From Arrhenius to Lewis, the definitions get broader as you go along. In other woeds, the later definitions include MORE SUBSTANCES under the acid/base umbrella.

If something is an Arrhenius acid, it is also an acid in the Bronsted or Lewis picture. If something is an Arrhenius base, it is also a base in the Bronsted or Lewis picture.

All Bronsted acids are Lewis acids, and all Bronsted bases are Lewis bases.

... but not all Lewis acids/bases (like the metal ions) are Bronsted or Arrhenius acids/bases.



... We will primarily use the <u>BRONSTED-LOWRY</u> theory from this point in the course!

- Water self-ionizes!

$$2 H_{2}O \rightleftharpoons H_{3}O^{+} OH^{-}$$
or
$$H_{2}O \rightleftharpoons H^{+} + OH^{-}$$

This is an equilibrium reaction!

$$K = \frac{[H_3D^+][OH^-]}{[H_2O]^2}$$
(X) = molar concentration of "X"

In aqueous solution, ( $H_2D$ ) is essentially constant, so we roll that into K.

$$K_{w} = [H_{3}D^{+}][OH^{-}] = 1.0 \times 10^{-14}$$

This is the value at 25C

- The self-ionization of water has a small equilibrium constant. What does this imply?

THE CONCENTRATION OF HYDROXIDE AND HYDRONIUM ION IN PURE WATER IS VERY SMALL!

How small?

 In pure water, the concentration of hydroxide and hydronium must be equal, since they are formed at the same time and at the same ratio from the ionization reaction of water.

Solve...

Let 'x' equal the change in concentration of hydronium ion...

$$(x)(x) = 1.0 \times 10^{-14}$$

$$x^{2} = 1.0 \times 10^{-14}$$

$$(x)(x) = 1.0 \times 10^{-7} M = [H_{3}0^{+}] = [OH]$$

- "p" notation helps us deal with the very small numbers we encounter when working with acids, bases, and water.

- based on log base 10

"p" means - 10910

On a calculator, use



So,

- Apply "p" notation to the water self-ionization reaction!

becomes ...

Taking the "p" (negative log base ten) of the equilibrium constant is often used for BUFFER SOLUTIONS, which we'll discuss later!

## **ACIDITY AND ALKALINITY**

- At pH = 7, pH = pOH. The solution is considered NEUTRAL

- At pH <7, pH < pOH. The solution is considered ACIDIC

- At pH > 7, pH > pOH. The solution is considered ALKALINE (BASIC)

The pH scale...

## ph and temperature

This equation is valid at room temperature, specifically 25°C.

Equilibrium constants depend on TEMPERATURE, and change with temperature.

So, the "neutral" pH (where the concentration of hydroxide and hydronium ions are equal) CHANGES with changing temperatures

This change is important at temperatures greatly different from  $25^{\circ}$  C.

As an example, consider average "normal" human body temperature: 37° C

#### ACID-BASE EQUILIBRIUM IN WATER

- Like other ELECTROLYTES, acids and bases IONIZE to some extent in water
- STRONG electrolytes ionize completely. Acids and bases that ionize completely in water are called STRONG ACIDS and STRONG BASES
- WEAK electrolytes ionize partially, remaining mostly non-ionized. Acids and bases that ionize only partially in solution are called WEAK ACIDS and WEAK BASES.
- Most acids and bases are WEAK!

## Common strong acids

HCT HNO3 H2SO4 (only 1st proton) HBr HI

# Common strong bases

NaDH ] alkali metal KOH J hydroxides (Group IA) (a(ou)2