
Calculations with measurements

When you calculate something using measured numbers, you should try to make sure the ANSWER reflects the quality of the data used to make the calculation.

An ANSWER is only as good as the POOREST measurement that went into finding that answer!

$$\begin{array}{r}
14.206 \pm 0.001 \\
154.72 \pm 0.01 \\
1.6 \pm 0.1 \\
\pm 0.222 \pm 0.001 \\
170.748
\end{array}$$

How should we report this answer? How much uncertainty is in this answer?



✓ If you add an uncertain number to either a certain or an uncertain number, then the result is uncertain!

 \star If you add certain numbers together, the result is certain!

For addition and subtraction, round FINAL ANSWERS to the same number of decimal places as the measurement with the fewest decimal places. This will give an answer that indicates the proper amount of uncertainty.

For multiplication and division, round FINAL ANSWERS to the same number of SIGNIFICANT FIGURES as the measurement with the fewest SIGNIFICANT FIGURES!

$$\frac{L_{1}}{15.62} \times 0.0667 \times 35.0 = 36.46489$$

How should we report this answer?
$$36.5$$

$$\frac{3}{25.4} \times 0.00023 \times 15.201 = 0.088804242$$

How should we report this answer?
$$0.0\%9$$

$$(2 \le . f,)$$

We're rounding to two significant figures, but the lead zeros are NOT significant. The first significant figure is the first "8"

27

A few more math with significant figures examples:

$$\frac{5}{15047} \times \frac{9}{11} \times 0.9876 = 163464.5892$$
Placeholder zeroes
(or scientific notation)
required here since
we need to know where
the decimal goes!

Addition:

$$\frac{147.3 \pm 0.1}{2432 \pm 1}$$

$$0.97 \pm 0.01$$

$$+ 111.6 \pm 0.1$$

$$\frac{147.3 \pm 0.1}{2691.67}$$
DENSITY
CALCULATION

$$\frac{147.3 \pm 0.1}{2.2.9}$$

$$\frac{147.3 \pm 0.1}{2.432 \pm 1}$$

$$\frac{5.4 9}{10}$$

currently using and still have the same quality density measurement!)

Exact Numbers

- Some numbers do not have any uncertainty. In other words, they weren't measured!

1) Numbers that were determined by COUNTING!

2) Numbers that arise from DEFINITIONS, often involving relationships between units 12 in = 1 FE $Km = 10^{3} \text{ m}$ $Km = 10^{3} \text{ m}$


exactly 4

How many blocks are to the left?

³⁰ Example

You'll need to round the answer to the right number of significant figures! Convert 4.45 m to in, assuming that 2.54 cm = 1 in

FXACT



Usually, in unit conversions the answer will have the same number of significant figures as the original measurement did.

EXCEPTION: Temperature conversions, since these often involve ADDTION (different rule!)

A note on rounding: If possible, try to round only at the END of a multiple-step calculations. Avoid rounding intermediate numbers if possible, since extra rounding introduces ERROR into your calculations.

- 1808: Publication of Dalton's "A New System of Chemical Philosophy", which contained the atomic theory

- Dalton's theory attempted to explain two things:



- The total amount of mass remains constant in any process, chemical or physical!



<u>LAW OF DEFINITE PROPORTIONS (also called the LAW OF CONSTANT</u> COMPOSITION): All pure samples of a given compound contain the same proportion of elements by mass The parts of Dalton's theory

() Matter is composed of small, chemically indivisible $\underline{\text{ATOMS}}$

 \bigcirc ELEMENTS are kinds of matter that contain only a single kind of atom. All the atoms of an element have identical chemical properties.

3 COMPOUNDS are kinds of matter that are composed of atoms of two or more ELEMENTS which are combined in simple, whole number ratios.


Most importantly,

CHEMICAL REACTIONS are REARRANGEMENTS of atoms to form new compounds.


- Atoms are not gained or lost during a chemical reaction.
- Atoms do not change their identity during a chemical reaction.
- All the atoms that go into a chemical reaction must go out again!

Another look at chemical reactions

The decomposition of hydrogen peroxide over time (or when poured over a cut) works like this:



... but wouldn't this mean that somehow an extra oxygen atom would form? Not according to Dalton's theory. Dalton's theory would predict a different RATIO of water and oxygen would form:



- Dalton's theory sets LIMITS on what can be done with chemistry. For example:

Chemistry can't convert lead (an element) into gold (another element). Sorry, alchemists!

2 You can't have a compound form in a chemical reaction that contains an element that was not in your starting materials.

3

You can only make a certain amount of desired product from a fixed amount of starting material.

Atomic structure

- Until the early 20th century, chemists considered atoms to be indivisible particles.
- The discovery of SUBATOMIC PARTICLES changed the way we view atoms!

The subatomic particles

PROTON

- a small, but relatively massive particle that carres an overall unit POSITIVE CHARGE

NEUTRON

a small, but relatively massive, particle that carries NO CHARGE
 slightly more massive than the proton

ELECTRON

a small particle that carries an overall unit NEGATIVE CHARGE
 about 2000 times LESS massive than either protons or neutrons