


PERCENTAGE COMPOSITION

- sometimes called "percent composition" or "percent composition by mass"
- the percentage of each element in a compound, expressed in terms of mass

Example: Find the percentage composition of barium chloride.



$$\% \text{Ba} = \frac{137.3 \text{ g Ba}}{208.2 \text{ g BaCl}_2} \times 100\% = 65.95\% \text{ Ba}$$

$$\% \text{Cl} = \frac{70.90 \text{ g Cl}}{208.2 \text{ g BaCl}_2} \times 100\% = 34.05\% \text{ Cl}$$

Check ... these percentages should sum to 100% ... within roundoff error.

So far, we have

- looked at how to determine the composition by mass of a compound from a formula
- converted from MASS to MOLES (related to the number of atoms/molecules)
- converted from MOLES to MASS

Are we missing anything?

- What about SOLUTIONS, where the desired chemical is not PURE, but found DISSOLVED IN WATER?
- How do we deal with finding the moles of a desired chemical when it's in solution?

MOLAR CONCENTRATION *

- unit: MOLARITY (M): moles of dissolved substance per LITER of solution

$$M = \text{molarity} = \frac{\text{moles of SOLUTE}}{\text{L SOLUTION}}$$

↖ dissolved substance

$$6.0 \text{ M HCl solution} = \frac{6.0 \text{ mol HCl}}{\text{L}}$$

If you have 0.250 L (250 mL) of 6.0 M HCl, how many moles of HCl do you have? $6.0 \text{ mol HCl} = \text{L}$

$$0.250 \cancel{\text{L}} \times \frac{6.0 \text{ mol HCl}}{\cancel{\text{L}}} = \boxed{1.5 \text{ mol HCl}}$$

* See SECTIONS 4.7 - 4.10 for more information about MOLARITY and solution calculations (p 154 - 162 - 9th edition) (p 156-164 - 10th edition)

If you need 0.657 moles of hydrochloric acid, how many liters of 0.0555 M HCl do you need to measure out?

$$0.0555 \text{ mol HCl} = \text{L}$$

$$0.657 \text{ mol HCl} \times \frac{\text{L}}{0.0555 \text{ mol HCl}} = \boxed{11.8 \text{ L of } 0.0555 \text{ M HCl}}$$

(11800 mL) ↑

This volume's too big for lab work ... use a more concentrated solution! (like the 6.00 M HCl below!)

What if we used 6.00 M HCl?


$$6.00 \text{ mol HCl} = \text{L}$$

$$0.657 \text{ mol HCl} \times \frac{\text{L}}{6.00 \text{ mol HCl}} = \boxed{0.110 \text{ L of } 6.00 \text{ M HCl}}$$

(110 mL)

Example: How would we prepare 500. mL of 0.500 M sodium sulfate in water?

Dissolve the appropriate amount of sodium sulfate into enough water to make 500. mL of solution.



A VOLUMETRIC FLASK is a flask that is designed to precisely contain a certain volume of liquid.

VOLUMETRIC FLASKS are used to prepare solutions.

volumetric flask

We know that we need 500. mL of solution, and we know that the concentration is supposed to be 0.500 M. We need to calculate the MOLES of sodium sulfate. Convert moles sodium sulfate to mass using formula weight.

$$0.500 \text{ mol Na}_2\text{SO}_4 = \text{L} \quad | \quad \text{mL} = 10^{-3} \text{ L} \quad | \quad 142.05 \text{ g Na}_2\text{SO}_4 = \text{mol Na}_2\text{SO}_4$$

$$500. \text{ mL} \times \frac{10^{-3} \text{ L}}{\text{mL}} \times \frac{0.500 \text{ mol Na}_2\text{SO}_4}{\text{L}} \times \frac{142.05 \text{ g Na}_2\text{SO}_4}{\text{mol Na}_2\text{SO}_4} = \boxed{35.5 \text{ g Na}_2\text{SO}_4}$$

To prepare the solution, weigh out 35.5 g sodium sulfate into a 500. mL volumetric flask, then add distilled water to the mark.

More on MOLARITY

To prepare a solution of a given molarity, you generally have two options:

① Weigh out the appropriate amount of solute, then dilute to the desired volume with solvent (usually water)

② Take a previously prepared solution of known concentration and DILUTE it with solvent to form a new solution

"stock solution"

- Use DILUTION EQUATION

The dilution equation is easy to derive with simple algebra.

$$M \times V$$

$$\frac{\text{mol}}{\text{L}} \times \text{L} = \text{moles solute}$$

... but when you dilute a solution, the number of moles of solute REMAINS CONSTANT. (After all, you're adding only SOLVENT)

$$M_1 V_1 = M_2 V_2$$

before
dilution

after
dilution

Since the number of moles of solute stays the same, this equality must be true!

$$M_1 V_1 = M_2 V_2 \quad \dots \text{the "DILUTION EQUATION"}$$

M_1 = molarity of concentrated solution

V_1 = volume of concentrated solution

M_2 = molarity of dilute solution

V_2 = volume of dilute solution (total volume, not volume of added solvent!)

The volumes don't HAVE to be in liters, as long as you use the same volume UNIT for both volumes!

Example: Take the 0.500 M sodium sulfate we discussed in the previous example and dilute it to make 150. mL of 0.333 M solution. How many mL of the original solution will we need to dilute?

$$M_1 V_1 = M_2 V_2 \quad \left| \quad \begin{array}{l} M_1 = 0.500 \text{ M} \quad M_2 = 0.333 \text{ M} \\ V_1 = ? \quad \quad \quad V_2 = 150. \text{ mL} \end{array} \right.$$


$$(0.500 \text{ M})(V_1) = (0.333 \text{ M})(150. \text{ mL})$$

$$V_1 = 99.9 \text{ mL of } 0.500 \text{ M stock}$$

To prepare the solution, take 99.9 mL of 0.500 M sodium sulfate, then dilute to 150. mL with distilled water.

CHEMICAL CALCULATIONS CONTINUED: REACTIONS

- Chemical reactions proceed on an ATOMIC basis, NOT a mass basis!
- To calculate with chemical reactions (i.e. use chemical equations), we need everything in terms of ATOMS ... which means MOLES of atoms



coefficients are in terms of atoms and molecules!

$$2 \text{ atoms Al} = 3 \text{ molecules Br}_2 = 2 \text{ formula units AlBr}_3$$

$$2 \text{ mol Al} = 3 \text{ mol Br}_2 = 2 \text{ mol AlBr}_3$$

- To do chemical calculations, we need to:
 - Relate the amount of substance we know (mass or volume) to a number of moles
 - Relate the moles of one substance to the moles of another using the equation
 - Convert the moles of the new substance to mass or volume as desired