



DETERMINING IONIC FORMULAS


sodium sulfate




tin(II) phosphate




barium hydroxide




strontium oxide



chromium(III) nitrate



titanium(IV) chloride




Be extra careful when writing a HYDROXIDE, CYANIDE, or HYPOCHLORITE formula. If you have more than one polyatomic ion in the formula, you MUST use parenthesis!

HYDRATES

- many ionic compounds are formed by crystallizing the compound from water. Sometimes, this causes water molecules to become part of the crystal structure.


- This water is present in a definite ratio to the ions in the compound. Can be removed by heating, but will NOT evaporate if the compound is left standing.



- many DESSICANTS are hydrates that have had their water molecules driven off. They will slowly reabsorb water from the air (and keep the environment in a dessicator at a low humidity)

- Hydrates are named using the name of the ionic compound, and a Greek prefix in front of the word "hydrate" to indicate how many water molecules are associated

Copper (II) sulfate pentahydrate



MOLECULAR COMPOUNDS

- There are several kinds of molecular compound. We will learn to name two simple but important classes

① BINARY MOLECULAR COMPOUNDS

- molecular compounds containing only two elements

② ACIDS

- molecular compounds that dissolve in water to release H^+ ions
- corrosive to metals (react with many to produce hydrogen gas)
- contact hazard: can cause chemical burns to eyes and skin
- sour taste
- turn litmus indicator RED
- two kinds of acids:

① BINARY ACIDS

- contain hydrogen and one other element

② OXYACIDS

- contain hydrogen, OXYGEN, and another element

Usually from
Group VIIA



BINARY MOLECULAR COMPOUNDS

- Named based on the elements they contain, plus prefixes to indicate the number of atoms of each element in each molecule

① FIRST ELEMENT

- Add a GREEK PREFIX to the name of the element.
- Omit the "MONO-" (1) prefix if there is only one atom of the first element

② SECOND ELEMENT

- Add a GREEK PREFIX to the STEM NAME of the element
- Add the suffix "-ide" (as if you were naming an anion)
- DO NOT omit the "mono-" prefix if there is only one atom of the second element


SEE COURSE WEB SITE FOR A LIST OF GREEK PREFIXES!
THESE ARE THE SAME PREFIXES USED FOR THE HYDRATES!

BINARY MOLECULAR COMPOUNDS

Examples:



boron
trifluoride



dichlorine
heptaoxide



carbon
monoxide




carbon
dioxide

*Note: metalloids like boron behave chemically like nonmetals do.

carbon tetrachloride



dihydrogen monoxide



dinitrogen tetrafluoride



ACIDS

① BINARY ACIDS

- named after the element (other than hydrogen) they contain
- common binary acids include a Group VIIA element
- named: "Hydro-" + STEM NAME OF ELEMENT+ "-ic acid"

Four
common
binary
acids

HF : hydrofluoric acid* dissolves glass!

HCl : hydrochloric acid* most common binary acid!

HBr : hydrobromic acid

HI : hydroiodic acid

② OXYACIDS


- Easy to think about as HYDROGEN IONS combined with POLYATOMIC IONS

- These acids are not true ionic compounds, but they interact with water to PRODUCE ions!


- named based on the polyatomic ion they contain, with an ending change:

① - ions ending in -ATE form acids ending in -IC


② - ions ending in -ITE form acids ending in -OUS




sulfuric
acid



phosphoric
acid



sulfurous
acid



nitric
acid


OXYACID EXAMPLES

acetic acid

3

based on ACETATE ion





nitrous acid

2

based on NITRITE





carbonic acid

2

based on CARBONATE ion





The number of hydrogen atoms at the beginning of the formula equals the charge of the anion the acid is based on!

SUMMING UP CHEMICAL NOMENCLATURE

- You need to be able to tell, by looking at a name OR a formula, what kind of compound you are working with!

DON'T GET THE NAMING SYSTEMS MIXED UP! EACH KIND OF COMPOUND IS NAMED WITH ITS OWN SYSTEM!

FROM A CHEMICAL NAME

- If the name has a Roman numeral, the name of a metal, or "ammonium", the compound is likely IONIC
- If the name has a Greek prefix AND the prefix is NOT in front of the word "hydrate", the compound is BINARY MOLECULAR
- If the name contains the word "acid":
 - ... and starts with "hydro-", then the compound is a BINARY ACID
 - ... and does not start with "hydro-", the compound is an OXYACID

78 FROM A CHEMICAL FORMULA

- if the formula contains a metal or the NH_4^+ ion, it is likely IONIC

- If the formula starts with H and is not either water (H_2O) or hydrogen peroxide (H_2O_2), the compound is likely an ACID. Which kind?

- BINARY ACIDS contain only two elements

- OXYACIDS contains oxygen

- If the formula contains only nonmetals (and is not an ammonium compound or an acid), the compound is likely MOLECULAR

Examples:

PCl_3 : BINARY MOLECULAR
Name: phosphorus trichloride


NH_4Cl : IONIC (ammonium ion)
Name: ammonium chloride

H_3PO_4 : OXYACID (hydrogen, phosphate)
Name: phosphoric acid

$\text{Fe}(\text{OH})_2$: IONIC (starts with a metal)
Name: iron(II) hydroxide

CHEMICAL EQUATIONS

- are the "recipes" in chemistry
- show the substances going into a reaction, substances coming out of the reaction, and give other information about the process



REACTANTS - materials that are needed for a reaction

PRODUCTS - materials that are formed in a reaction

COEFFICIENTS - give the ratio of molecules/atoms of one substance to the others


PHASE LABELS - give the physical state of a substance:

(s) - solid


(l) - liquid

(g) - gas

(aq) - aqueous. In other words, dissolved in water



CHEMICAL EQUATIONS




REACTION CONDITIONS - give conditions necessary for chemical reaction to occur. May be:

- Δ apply heat
 - catalysts - substances that will help reaction proceed faster
 - other conditions, such as required temperatures
- Reaction conditions are usually written above the arrow, but may also be written below if the reaction requires several steps or several different conditions

COEFFICIENTS

- Experimentally, we can usually determine the reactants and products of a reaction
- We can determine the proper ratios of reactants and products WITHOUT further experiments, using a process called BALANCING
- BALANCING a chemical equation is making sure the same number of atoms of each element go into a reaction as come out of it.
- A properly balanced chemical equation has the smallest whole number ratio of reactants and products.
- There are several ways to do this, but we will use a modified trial-and-error procedure.

BALANCING




① Pick an element. Avoid (if possible) elements that appear in more than one substance on each side of the equation.

② Change the coefficients on substances containing this element so that the same number of atoms of the element are present on each side. **CHANGE AS LITTLE AS POSSIBLE!**

③ Repeat 1-2 until all elements are done.

④ Go back and quickly VERIFY that you have the same number of atoms of each element on each side. If you used any fractional coefficients, multiply each coefficient by the **DENOMINATOR** of your fraction.

Use SMALLEST WHOLE NUMBER RATIOS!



To get rid of the fractional coefficient, we'll multiply ALL the coefficients by the denominator of the fraction - in this case, 2. We can do this since the coefficients are part of a RATIO...



- 1 - Avoid H, balance S instead. (Why? H shows up twice on the left.)
- 2 - Avoid O, balance Na. (O shows up in ALL FOUR compounds!)
- 3 - Balance H. (Shows up less than O).
- 4 - Balance O. (already done!)