You can combine all three steps on one line if you like!

Things we can do:

If we have	and we need	Use
MASS	MOLES	FORMULA WEIGHT
SOLUTION VOLUME	MOLES	MOLAR CONCETRATION (MOLARITY)
MOLES OF A	MOLES OF B	BALANCED CHEMICAL EQUATION

101 Example:

How many milliliters of 6.00M hydrochloric acid is needed to completely react with 25.0 g of sodium carbonate?

$$= 2H(1(aq) + Na2(o3(s) \longrightarrow H2o(l) + (o2(g) + 2Nacl(aq))$$

- 1 Convert 25.0 grams of sodium carbonate to moles. Use FORMULA WEIGHT.
- 2 Convert moles sodium carbonate to moles HCI. Use CHEMICAL EQUATION.
- 3 Convert moles HCI to volume. Use MOLARITY. (6.00 M)

$$\begin{array}{c|c}
\hline
 Na_{2}(0_{3} - Na_{1} \cdot 2 \times 22.99 \\
C : |x| |2.0| \\
O : \underline{3 \times 16.00} \\
10S.99 g Na_{2}(0_{3} = mol Na_{2}(0_{3} \\
\hline
 10S.99 g Na_{2}(0_{3} = mol Na_{2}(0_{3}$$

2 2mul HC1= mol Naz (03

102 Example:

How many milliliters of 6.00M hydrochloric acid is needed to completely react with 25.0 g of sodium carbonate?

- 1 Convert 25.0 grams of sodium carbonate to moles. Use FORMULA WEIGHT.
- 2 Convert moles sodium carbonate to moles HCI. Use CHEMICAL EQUATION.
- 3 Convert moles HCI to volume. Use MOLARITY. (6.00 M)

Since the problem asks us for an answer in mL, we'll do a quick unit conversion.

$$42.081 \text{ g/m/l}$$

 $4 \text{ C}_3 \text{ H}_6 + 6 \text{ NO} \longrightarrow 4 \text{ C}_3 \text{ H}_3 \text{ N} + 6 \text{ H}_2 \text{ O} + \text{ N}_2$
propylene acrylonitrile

Calculate how many grams of acrylonitrile could be obtained from 651 g of propylene, assuming there is excess NO present.

- 1 Convert 651 grams propylene to moles. Use FORMULA WEIGHT.
- 2 Convert moles propylene to moles acylonitrile. Use CHEMICAL EQUATION
- 3 Convert moles acylonitrile to mass. Use FORMULA WEIGHT.

How many mL of 0.250M potassium permangenate are needed to react with 3.36 g of iron(II) sulfate?

- 1 Convert 3.36 g iron(II) sulfate to moles. Use FORMULA WEIGHT.
- 2 Convert moles iron(II) sulfate to moles potassium permangenate. Use CHEMICAL EQUATION.
- 3 Convert moles potassium permangenate to volume. Use MOLARITY. (0.250 M)

(3) 0.250 mol KMndy = L

$$3.36_{9} Fe So_{4} \times \frac{mol Fe So_{4}}{|S|.40_{9} Fe So_{4}} \times \frac{2 mul KMnO_{4}}{|O mul Fe So_{4}} \times \frac{L}{0.250 mol KMnO_{4}} = 0.0177 L of 0.250 m KMnO_{4}$$

Again, the problem wants the answer in mL ...