

## Measurements

Measurements are comparisons of properties against accepted standards, called units.

### ENGLISH / US SYSTEM OF UNITS:

$$1 \text{ foot} = 12 \text{ inches} \quad 1 \text{ yard} = 3 \text{ feet}$$

$$1 \text{ mile} = 1760 \text{ yd}$$

$$5280 \text{ ft} = 1 \text{ mi}$$

So what's the problem?

The English system was not designed, so English units don't relate to one another in logical ways. Also, the relationships in English don't make for easy mental math!

2  
English units are nonstandard and difficult to use. Solution?

## THE METRIC SYSTEM

Metric Base Units:

Length	meter	m
Mass	*kilogram	kg
Temperature	Kelvin	K
Time	second	s

All metric units are made up of COMBINATIONS of BASE UNITS!

\*we usually treat the gram as if it's the base unit for mass!

- One meter is approximately 3.3 feet.
- One kilogram is approximately 2.2 pounds.

What about SIZE?

Metric units may be made larger or smaller by adding PREFIXES.

A few common metric prefixes:

mega-	$10^6$	M
kilo-	$10^3$	k
centi-	$10^{-2}$	c
milli-	$10^{-3}$	m
micro-	$10^{-6}$	$\mu$

Bigger units:

smaller units  
(or mc-)

MEMORIZE the common metric prefixes listed in the study guide

Applying prefixes

$$1 \text{ m} = \text{m}$$

$$1 \text{ km} = 10^3 \text{ m} \quad (1000 \text{ m})$$

$$1 \text{ cm} = 10^{-2} \text{ m} \quad \left(\frac{1}{100} \text{ m}\right)$$

## Scaling units with metric prefixes ... examples

The distance between here and Columbia, SC is about 107,000 meters.  
What metric unit would be best suited for a distance like this?

$$k = 10^3 (1000)$$

107 km

By "best suited", we mean a metric unit that would represent the number without many beginning or end zeros. These kinds of numbers are easier for us to remember!

A piece of chalk is 0.080 meters long. What metric unit would be best suited for this length?

$$c = 10^{-2} (1/100)$$

8.0 cm

## Derived Units

- are units that are made up of combinations of metric base units with each other and/or with prefixes


$$\text{velocity: } \frac{\text{miles}}{\text{hr}} \quad \frac{\text{km}}{\text{hr}} \quad \left( \frac{\text{m}}{\text{s}} \right) \quad \frac{\text{length}}{\text{time}}$$

Two derived units are particularly important in general chemistry:

1) VOLUME

2) DENSITY


# VOLUME



$$\text{VOLUME} = L \times W \times H$$

What are the units of volume in the metric system?

$$\begin{aligned}\text{VOLUME} &= m \times m \times m \\ &= m^3 \text{ "cubic meters" }\end{aligned}$$



problem: The cubic meter is much too large for lab-scale work. We need a smaller volume unit to work with ...

## Practical issues for volume units

- Cubic meters are too large! A meter is very similar in length to a yard, so a cubic meter is a cube that is approximately a yard long on each side!

A smaller unit For volume?

Cubic decimeters!  $\text{dm}^3$

(decimeter =  $\frac{1}{10}$  meter)

Cubic decimeters are given the name "liters", abbreviation "L"

In the lab, we typically need an even smaller unit than the liter, so we use milliliters (mL)

$\text{mL}$   
cubic centimeter  
=  
milliliter

$$1 \text{ mL} = 10^{-3} \text{ L}$$

-or-

$$1000 \text{ mL} = 1 \text{ L}$$

## DENSITY

- Density is a measure of the concentration of matter; of how much matter is present in a given space
- Density is defined as the MASS per unit VOLUME, or ...

$$\text{Density} = \frac{\text{mass}}{\text{Volume}}$$

What are the metric units of DENSITY?

$$\text{DENSITY} = \frac{\text{Kg}}{\text{m}^3}$$

Base unit of mass

Simplest volume unit

So, we have the same problem here that we have with the volume unit itself ...

The kg/cubic meter uses units that aren't practical in lab.



9  
In the lab, we typically measure masses as grams and volumes as milliliters, so the density unit we will use most often is:

$$\frac{g}{mL}$$

$$\left( \frac{g}{cm^3} \right)$$


$$\left( \frac{g}{cc} \right)$$

A useful density to remember:

WATER at room temp: Density =  $1 \frac{g}{mL}$

## Measuring density

... of a liquid



1) Measure mass of empty cylinder

$$\text{mass} = 97.35 \text{ g}$$



2) Fill cylinder and measure volume of liquid

$$\text{volume} = 25.3 \text{ mL}$$

3) Measure mass of filled cylinder

$$\text{mass} = 130.55 \text{ g}$$

4) Subtract to find mass of liquid

$$\begin{array}{r} 130.55 \text{ g} \\ - 97.35 \text{ g} \\ \hline 33.20 \text{ g} \end{array}$$

5) Density = mass liquid / volume liquid


$$\begin{aligned} \text{Density} &= \frac{33.20 \text{ g}}{25.3 \text{ mL}} \\ &= 1.31 \text{ g/mL} \end{aligned}$$

...of an object




1) Measure mass  
of object

$$\text{mass} = 9.78 \text{ g}$$



2) Partially fill cylinder  
with liquid, record volume.

$$\text{volume} = 25.0 \text{ mL}$$



3) Put object into cylinder, record new  
volume

$$\text{volume} = 26.6 \text{ mL}$$

4) Subtract to find volume of object

$$\begin{array}{r} 26.6 \text{ mL} \\ - 25.0 \text{ mL} \\ \hline 1.6 \text{ mL} \end{array}$$

5) Density = mass object / volume object

$$\text{Density} = \frac{9.78 \text{ g}}{1.6 \text{ mL}}$$

$$= 6.1 \text{ g/mL}$$