BALANCING

$$3MgCl_2 + 2Na_3PO_4 \longrightarrow Mg_3(PO_4)_2 + 6NaCl \checkmark$$

$$C_2H_2 + 2\tfrac{1}{2}O_2 \longrightarrow 2CO_2 + H_2O$$

$$\tfrac{?}{2}S! \qquad 4 \quad + \quad 1 = 5$$

We had to use a coefficient of 2 1/2 for oxygen on the left to have five oxygen atoms. We need WHOLE NUMBER coefficients, though. To get whole numbers, multiply ALL of the coefficients by the denominator of the fraction (here, that's 2).

$$2C_2H_2 + 5O_2 \longrightarrow 4CO_2 + 2H_2O$$

$$H_2SO_4 + 2NaOH \longrightarrow Na_2SO_4 + 2H_2O$$

1 - Avoid H, balance S instead. (H shows up twice on left)
2 - Avoid O, balance Na instead. (O shows up in all four compounds!)
3 - Balance H. (only shows up 3 times, while oxygen shows up 4 times)
4 - Balance O.

CHEMICAL CALCULATIONS - RELATING MASS AND ATOMS

$$Na_2CO_3 + 2HCl \longrightarrow H_2O + CO_2 + 2NaCl$$

Chemical equations are written and balanced in terms of ATOMS and MOLECULES

- While chemical equations are written in terms of ATOMS and MOLECULES, that's NOT how we often measure substances in lab!

- measurements are usually MASS (and sometimes VOLUME), NOT number of atoms or molecules!

THE MOLE CONCEPT

- A "mole" of atoms is 6.022×10^{23} atoms

Why so big? Because atoms are so small!

- Why - in the metric dominated world of science - do we use such a strange number for quantity of atoms?

12 e⁻

6 p
6 n

The mole is also defined as the number of carbon-12 atoms in exactly 12 g of carbon-12

carbon-12

THE MOLE CONCEPT

- Why define the mole based on an experimentally-measured number?

- The atomic weight of an element (if you put the number in front of the unit GRAMS) is equal to the mass of ONE MOLE of atoms of that element!

Carbon (C): Atomic mass 12.01 amu $\longrightarrow$ 12.01 g

the mass of ONE MOLE of naturally-occurring carbon atoms

Magnesium (Mg): 24.31 g = the mass of ONE MOLE OF MAGNESIUM ATOMS

- So, using the MOLE, we can directly relate a mass and a certain number of atoms!

RELATING MASS AND MOLES

- Use DIMENSIONAL ANALYSIS (a.k.a "drag and drop")

- Need CONVERSION FACTORS - where do they come from?

- We use ATOMIC WEIGHT as a conversion factor.

$$Mg = 24.31 \quad | \quad 24.31 \text{ g } Mg = \underline{} \text{ mol } Mg$$

← Atomic mass

"mol" is the abbreviation for "mole"

Example: How many moles of atoms are there in 250. g of magnesium metal?

$$24.31 \text{ g } Mg = \text{mol } Mg$$

$$250. \text{ g } Mg \times \frac{\text{mol } Mg}{24.31 \text{ g } Mg} = \boxed{10.3 \text{ mol } Mg}$$

Example: You need 1.75 moles of iron. What mass of iron do you need to weigh out on the balance?

$$55.85g \ Fe = mol \ Fe$$

$$1.75 \ mol \ Fe \ \times \ \frac{55.85g \ Fe}{mol \ Fe} = \boxed{97.7g \ Fe}$$

WHAT ABOUT COMPOUNDS? FORMULA WEIGHT

Example: 25.0 g of WATER contain how many MOLES of water molecules?

$$H_2O: \qquad H: 2 \times 1.008 = 2.016$$

$$O: 1 \times 16.00 = \underline{16.00}$$

$$18.016 \leftarrow \text{FORMULA WEIGHT of water}$$

$$18.016 g\ H_2O = mol\ H_2O$$

FORMULA WEIGHT is the mass of one mole of either an element OR a compound.

$$25.0\ g\ H_2O \times \frac{mol\ H_2O}{18.016 g\ H_2O} = \boxed{1.39\ mol\ H_2O}$$

Formula weight goes by several names:

- For atoms, it's the same thing as ATOMIC WEIGHT

- For molecules, it's called MOLECULAR WEIGHT

- Also called "MOLAR MASS"

Example: How many grams of barium chloride do we need to weigh out to get 3.65 moles of barium chloride?

First, find
formula of barium chloride

Ba^{2+} Cl^-

$\dfrac{Cl^-}{BaCl_2}$

Second, find the formula weight.

$BaCl_2 -$ Ba: 1×137.3

Cl: $\dfrac{2 \times 35.45}{208.2 \, g \, BaCl_2 = mol \, BaCl_2}$

Finally, calculate mass of barium chloride needed...

$3.65 \, mol \, BaCl_2 \times \dfrac{208.2 \, g \, BaCl_2}{mol \, BaCl_2} = \boxed{760 \, g \, BaCl_2}$

PERCENTAGE COMPOSITION

- sometimes called "percent composition" or "percent composition by mass"

- the percentage of each element in a compound, expressed in terms of mass

Example: Find the percentage composition of barium chloride.

$$BaCl_2 : Ba: 1 \times 137.3 = \boxed{137.3}$$
$$Cl: 2 \times 35.45 = \boxed{70.90}$$

These numbers are the masses of each element in a mole of the compound!

$$208.2 \text{ g } BaCl_2 = mol\ BaCl_2$$

$$Ba: \frac{137.3 \text{ g } Ba}{208.2 \text{ g } BaCl_2} \times 100 = \boxed{65.95\% \ Ba}$$

These percentages should sum to 100% ... within roundoff error.

$$Cl: \frac{70.90 \text{ g } Cl}{208.2 \text{ g } BaCl_2} \times 100 = \boxed{34.05\% \ Cl}$$

So far, we have

     - looked at how to determine the composition by mass of a compound from a formula

     - converted from MASS to MOLES (related to the number of atoms/molecules)

     - converted from MOLES to MASS

Are we missing anything?

     - What about SOLUTIONS, where the desired chemical is not PURE, but found DISSOLVED IN WATER?

     - How do we deal with finding the moles of a desired chemical when it's in solution?

MOLAR CONCENTRATION ✳

- unit: MOLARITY (M): moles of dissolved substance per LITER of solution

↙dissolved substance

$$M = \text{molarity} = \frac{\text{moles of SOLUTE}}{\text{L SOLUTION}}$$

6.0 M HCl solution: $\dfrac{6.0 \text{ mol HCl}}{L}$

If you have 0.250 L (250 mL) of 6.0 M HCl, how many moles of HCl do you have?

6.0 mol HCl = L

$0.250 L \times \dfrac{6.0 \text{ mol HCl}}{L} = \boxed{1.5 \text{ mol HCl}}$

If you need 0.657 moles of hydrochloric acid, how many liters of 0.0555 M HCl do you need to measure out?

$$0.0555 \text{ mol HCl} = L$$

$$0.657 \text{ mol HCl} \times \frac{L}{0.0555 \text{ mol HCl}} = \boxed{11.8 \text{ L}}$$
$$(11 800 \text{ mL})$$

What if we used 6.00 M HCl?

$$6.00 \text{ mol HCl} = L$$

$$0.657 \text{ mol HCl} \times \frac{L}{6.00 \text{ mol HCl}} = \boxed{0.110 \text{ L}}$$
$$(110 \text{ mL})$$