CHEMICAL EQUATIONS

- are the "recipes" in chemistry

- show the substances going into a reaction, substances coming out of the reaction, and give other information about the process

$$\operatorname{MgCl}_{2}(\operatorname{aq}) + \operatorname{AgNO}_{3}(\operatorname{aq}) \xrightarrow{\vee} 2 \operatorname{AgCl}(\operatorname{s}) + \operatorname{Mg(NO}_{3})_{2}(\operatorname{aq})$$

"violde"

REACTANTS - materials that are needed fot a reaction

PRODUCTS - materials that are formed in a reaction


COEFFICIENTS - give the ratio of molecules/atoms of one substance to the others

PHASE LABELS - give the physical state of a substance:

(s) -solid

(g) - gas

(aq) - aqueous. In other words, dissolved in water



 $2M_{g}(s) + O_{2}(g) \xrightarrow{\Delta} 2M_{g}O(s)$

REACTION CONDITIONS - give conditions necessary for chemical reaction to occur. May be:

- \triangle apply heat
- catalysts substances that will help reaction proceed faster
- other conditions, such as required temperatures

- Reaction conditions are usually written above the arrow, but may also be written below if the reaction requires several steps or several different conditions

COEFFICIENTS


- Experimentally, we can usually determine the reactants and products of a reaction

- We can determine the proper ratios of reactants and products WITHOUT further experiments, using a process called BALANCING

- BALANCING a chemical equation is making sure the same number of atoms of each element go into a reaction as come out of it.

- A properly balanced chemical equation has the smallest whole number ratio of reactants and products.

- There are several ways to do this, but we will use a modified trial-and-error procedure.



Pick an element. Avoid (if possible) elements that appear in more than one substance on each side of the equation.

<u>Change the coefficients on substances containing this element so that the</u> same number of atoms of the element are present on each side. CHANGE AS LITTLE AS POSSIBLE!

Repeat 1-2 until all elements are done.

4

Go back and quickly <u>VERIFY</u> that you have the same number of atoms of each element on each side, If you used any fractional coefficients, multiply each coefficient by the DENOMIMATOR of your fraction.

Use SMALLEST WHOLE NUMBER RATIOS!

BALANCING $3M_{g}Cl_{2} + 2N_{a_{3}}PO_{4} \rightarrow M_{g_{3}}(PO_{4})_{2} + 6NaCI V$

$(_{2}H_{2} + \frac{7}{2}O_{2} \longrightarrow 2(O_{2} + H_{2}O_{2})$ $\chi S = 4 + 1 = 5$

Problem: We had to use 2 1/2 as the coefficient for oxygen gas. We need a ratio of wholke numbers, so to get rid of the fraction, we'll multiply ALL the coefficients by the denominator of the fraction (here, 2).


$$2(_{2}H_{2} + 50_{2} \longrightarrow 4(0_{2} + 2H_{2}O)$$

H2SOH + ZNaOH -> Na2SOy + 2H2O V

1 - Avoid H, start with S. (H shows up in two compounds on the left)

- 2 Avoid O, balance Na. (O shows up in all four compounds!)
- 3 Balance H. (shows up less than O)
- 4 Balance O. (balancing the others balances O, too!)


CHEMICAL CALCULATIONS - RELATING MASS AND ATOMS




- While chemical equations are written in terms of ATOMS and MOLECULES, that's NOT how we often measure substances in lab!

- measurements are usually MASS (and sometimes VOLUME), NOT number of atoms or molecules!

THE MOLE CONCEPT



- Why - in the metric dominated world of science - do we use such a strange number for quantity of atoms?



THE MOLE CONCEPT

- Why define the mole based on an experimentally-measured number?

- The atomic weight of an element (if you put the number in front of the unit GRAMS) is equal to the mass of ONE MOLE of atoms of that element!

Carbon (C): Atomic mass 12.01 and
$$-$$
 12.01 g
the mass of ONE MOLE of naturally-occurring carbon atoms

Magnesium (Mg): 24.31 g = the mass of ONE MOLE OF MAGNESIUM ATOMS

- So, using the MOLE, we can directly relate a mass and a certain number of atoms!

RELATING MASS AND MOLES

- Use DIMENSIONAL ANALYSIS (a.k.a "drag and drop")

- Need CONVERSION FACTORS - where do they come from?

- We use ATOMIC WEIGHT as a conversion factor.

$$M_{g} = 24.31 | 24.31 g M_{g} = \frac{mol M_{g}}{\sqrt{M_{g}}} | \frac{24.31 g M_{g}}{\sqrt{M_{g}}} = \frac{mol M_{g}}{\sqrt{M_{g}}} | \frac{mol^{2}}{\sqrt{M_{g}}} | \frac$$

Example: How many moles of atoms are there in 250. g of magnesium metal? 24.3 g Mg = mol Mg

$$2SO.gMg \times \frac{molMg}{24.31gMg} = 10.3 molMg$$

Example: You need 1.75 moles of iron. What mass of iron do you need to weigh out on the balance?

Fe: 55.85

$$55.85gFe = mol Fe$$

 $1.75mytFe \times \frac{55.85gFe}{mol Fe} = 97.7gFe$

WHAT ABOUT COMPOUNDS? FORMULA WEIGHT

Example: 25.0 g of WATER contain how many MOLES of water molecules?

$$H_{2}0: H: 2 \times 1.008 = 2.016$$

$$0: 1 \times 16.00 = \frac{16.00}{16.016}$$

18.016 H20 = mal H20
PS.0 g H20 x $\frac{mol H_{2}0}{18.016g M_{2}0} = \frac{1.39 \text{ nul H}_{2}0}{1.39 \text{ nul H}_{2}0}$

Formula weight goes by several names:

- For atoms, it's the same thing as ATOMIC WEIGHT
- For molecules, it's called MOLECULAR WEIGHT
- Also called "MOLAR MASS"

Example: How many grams of barium chloride do we need to weigh out to get 3.65 moles of barium chloride?

First, find out the formula of the compound barium chloride.

It's ionic (barium is a metal!)

$$\frac{Ba^{2+} CI^{-}}{CI^{-}}$$

Second, find the formula weight $B_{all_{2}}$ $B_{a} - 1 \times 137.3 = 137.3$ $C_{1} - 2 \times 35.45 = 70.90$ $208.2 g B_{u}(1_{2} = mo) B_{u}(1_{2})$

Finally, calculate the mass...

3.65 mol Bull
$$2 \times \frac{208 \cdot 2g \operatorname{Ball} 2}{\operatorname{mol} \operatorname{Ball} 2} = 760 \operatorname{g} \operatorname{Ball} 2$$

(7.60 $\times 10^2 \operatorname{g}$)