

ANIONS

2 kinds

①

Main-group nonmetals

- Use the STEM NAME of the element, then add "-ide" suffix

 N^{3-} : "nitride" ion P^{3-} : "phosphide ion" S^{2-} : sulfide ion O^{2-} : "oxide ion" F^{-} : "fluoride ion"

②

Polyatomic ions

- Memorize list.(see web site)

 $\text{C}_2\text{H}_3\text{O}_2^-$: "acetate ion" SO_4^{2-} : "sulfate ion" NO_3^- : "nitrate ion" SO_3^{2-} "sulfite ion" NO_2^- : "nitrite ion"

* Polyatomic ions ending in "-ate" and "-ite" suffixes always contain oxygen! "-ate" ions have more oxygen atoms than their "-ite" counterparts.

NAMING IONIC COMPOUNDS

- The name of the compound is based on the name of the ions in the compound
- Cation first, anion second

Examples:




magnesium hydroxide




sodium sulfide




barium phosphate



iron(III) oxide



copper(II) oxide



copper(I) oxide

* Remember to include the Roman numeral for CHARGE when you're writing transition metal compound names!


(See Openstax p 100 for a chart of polyatomic ions)

DETERMINING THE FORMULA OF AN IONIC COMPOUND FROM THE NAME


- The name of an ionic compound is made of the names of the CATION and ANION in the compound.
 - To get the FORMULA, you must figure out the SMALLEST RATIO of cation to anion that makes the charges balance out
-

Examples:


iron(III) carbonate



potassium sulfide




calcium bromide



DETERMINING IONIC FORMULAS


tin(II) phosphate



barium hydroxide



chromium(III) nitrate



titanium(IV) chloride




Reminder: When attaching a subscript to a POLYATOMIC ION, remember to put that ion in PARENTHESIS. Pay particular attention to HYDROXIDES, CYANIDES, and HYPOCHLORITES!

HYDRATES

- many ionic compounds are formed by crystallizing the compound from water. Sometimes, this causes water molecules to become part of the crystal structure.

- This water is present in a definite ratio to the ions in the compound. Can be removed by heating, but will NOT evaporate if the compound is left standing.



- many DESSICANTS are hydrates that have had their water molecules driven off. They will slowly reabsorb water from the air (and keep the environment in a dessicator at a low humidity)

- Hydrates are named using the name of the ionic compound, and a Greek prefix in front of the word "hydrate" to indicate how many water molecules are associated

