

## ACIDS

## ① BINARY ACIDS

- named after the element (other than hydrogen) they contain
- common binary acids include a Group VIIA element
- named: "Hydro-" + STEM NAME OF ELEMENT+ "-ic acid"

Four  
common  
binary  
acids

HF : hydrofluoric acid \* dissolves glass!

HCl : hydrochloric acid \* most common binary acid!

HBr : hydrobromic acid

HI : hydroiodic acid

## ② OXYACIDS


- Easy to think about as HYDROGEN IONS combined with POLYATOMIC IONS

- These acids are not true ionic compounds, but they interact with water to PRODUCE ions!


- named based on the polyatomic ion they contain, with an ending change:

① - ions ending in -ATE form acids ending in -IC


② - ions ending in -ITE form acids ending in -OUS



sulfuric  
acid



phosphoric  
acid





sulfurous  
acid



nitric  
acid

## OXYACID EXAMPLES


based on acetate  
acetic acid



based on nitrite  
nitrous acid



based on carbonate  
carbonic acid



The number of hydrogen atoms at the beginning of the formula equals the charge of the anion the acid is based on!

## SUMMING UP CHEMICAL NOMENCLATURE

- You need to be able to tell, by looking at a name OR a formula, what kind of compound you are working with!

DON'T GET THE NAMING SYSTEMS MIXED UP! EACH KIND OF COMPOUND IS NAMED WITH ITS OWN SYSTEM!

### FROM A CHEMICAL NAME

- If the name has a Roman numeral, the name of a metal, or "ammonium", the compound is likely IONIC
- If the name has a Greek prefix AND the prefix is NOT in front of the word "hydrate", the compound is BINARY MOLECULAR
- If the name contains the word "acid":
  - ... and starts with "hydro-", then the compound is a BINARY ACID
  - ... and does not start with "hydro-", the compound is an OXYACID

## 77 FROM A CHEMICAL FORMULA

- if the formula contains a metal or the  $\text{NH}_4^+$  ion, it is likely IONIC

- If the formula starts with H and is not either water or hydrogen peroxide, the compound is likely an ACID. Which kind?

- BINARY ACIDS contain only two elements

- OXYACIDS contains oxygen

- If the formula contains only nonmetals (and is not an ammonium compound or an acid), the compound is likely MOLECULAR

Examples:

$\text{PCl}_3$  : BINARY MOLECULAR  
Name: phosphorus trichloride

$\text{NH}_4\text{Cl}$  : IONIC (ammonium ion)  
Name: ammonium chloride

$\text{H}_3\text{PO}_4$  : OXYACID (hydrogen, phosphate)  
Name: phosphoric acid


$\text{Fe}(\text{OH})_2$  : IONIC (starts with a metal)  
Name: iron(II) hydroxide

## THE MOLE CONCEPT

- A "mole" of atoms is  $6.022 \times 10^{23}$  atoms

Why so big? Because atoms are so small!

- Why - in the metric dominated world of science - do we use such a strange number for quantity of atoms?




carbon-12

The mole is also defined as the number of carbon-12 atoms in exactly 12 g of carbon-12

## THE MOLE CONCEPT

- Why define the mole based on an experimentally-measured number?
- The atomic weight of an element (if you put the number in front of the unit GRAMS) is equal to the mass of ONE MOLE of atoms of that element!




Magnesium (Mg): 24.31 g = the mass of ONE MOLE OF MAGNESIUM ATOMS

- So, using the MOLE, we can directly relate a mass and a certain number of atoms!


## RELATING MASS AND MOLES

- Use DIMENSIONAL ANALYSIS (a.k.a "drag and drop")
- Need CONVERSION FACTORS - where do they come from?
- We use ATOMIC WEIGHT as a conversion factor.



"mol" is the abbreviation for "mole"

Example: How many moles of atoms are there in 250. g of magnesium metal?



$$250. \text{ g Mg} \times \frac{\text{mol Mg}}{24.31 \text{ g Mg}} = \boxed{10.3 \text{ mol Mg}}$$