GAS FORMATION / OTHER MOLECULES

- There are a few other molecules that can be made with exchange-type chemistry.
- Most of these molecules are unstable and can break apart to form gases.
- Formation of a weak acid:
 - The formation of ANY weak acid in an exchange-type reaction can be a driving force.
 - Some weak acids are unstable and can break apart into gas molecules.

$$H_2(o_3 Lag) \longrightarrow H_2(l) + Co_2(g)$$
 Gas bubbles can leave solution!

... but how would you form carbonic acid in an exchange-type reaction?

$$H_2SO_4(a_4)+2NaH(O_3(a_4))\rightarrow Na_2SO_4(a_4)+2H_2CO_3(a_4)$$
 $H^+SO_4^2-Na^+H(O_3^-)$

... but when we mix sulfuric acid and sodium bicarbonate, we observe BUBBLES. We need to write an equation that agrees with our observations. We know that carbonic acid decomposes, so we go ahead and put that into our equation.

$$H_2(O_3(a_9)) \longrightarrow H_2O(l) + (O_2(g))$$


 $H_2SO_4(a_9) + 2NaH(O_3(a_9)) \rightarrow Na_2SO_4(a_9) + 2H_2O(l) + 2(O_2(g))$

Other molecules of interest:

$$H_2SO_3$$
: sulfurous acid - React an ACID with a SULFITE


$$H_2So_3(u_g) \rightarrow H_2O(\ell) + So_2(g)$$

 H_2S hydrogen sulfide (gas) - React an ACID with a SULFIDE



Formation of carbonic acid and its decomposition into water and carbon dioxide gas drives this reaction. We will observe fizzing/bubbling as the reaction proceeds.

- Exchange reactions involve ions pairing up, but the ions themseves are not formed in exchange reactions. Exchanges start with pre-existing ions.
- ... but the ions have to be produced somehow through a chemistry that involves the transfer of electrons.
 - oxidation / reduction chemistry ("redox" chemistry) involves transfer of electrons and can make ions.



- oxidation and reduction always occur together. In other words, we can't just make free electrons using oxidation without giving them somewhere to go.
- Many of the types of reactions that we learned about in previous courses are redox reactions!
 - COMBINATIONS (often but not always redox)
 - DECOMPOSITIONS (often redox)
 - SINGLE REPLACEMENT (always redox)

Cu (s) +2 Ag NO3 laq)
$$\rightarrow$$
 Cu (NO3)2 (aq) + 2 Ag (s)

Cu \rightarrow Cu²⁺ + 2e⁻ oxidation

2 Ag + 2e⁻ \rightarrow 2 Ag (s) reduction

net (ini(\rightarrow Cu(s) + 2 Ag + (aq) \rightarrow (u²⁺(aq) + 2 Ag (s))

-COMBUSTION

2 Mg (s) + O2(g) \rightarrow 2 Mg O(s)

2 Mg (s) \rightarrow 2 Mg²⁺ + 4e⁻ oxidation

O2 (y) + 4e⁻ \rightarrow 20²⁻ reduction

A review of the reaction types we just mentioned:



- Reactions that involve two or more simple substances COMBINING to form a SINGLE product
- Often involve large energy changes. Sometimes violent!

Example:

$$2A|(s)+3Br_2(l)\longrightarrow 2A|Br_3(s)$$

1 <u>DECOMPOSITION REACTIONS</u>

- Reactions where a SINGLE REACTANT breaks apart into several products

Example:

$$2 H_{1}O_{2}(e) \longrightarrow 2 H_{2}O(e) + O_{2}(g)$$

- * This reaction is NOT a combustion reaction, even though O_2 is involved!
- * Combustion reactions CONSUME O_2 , while this reaction PRODUCES O_2



COMBUSTION REACTIONS

- Reactions of substances with MOLECULAR OXYGEN (O_2) to form OXIDES.
- Combustion forms an OXIDE of EACH ELEMENT in the burned substance!

- Form: $AB + O_{2} \rightarrow AO + BO$

Oxide: a compound containing OXYGEN and one other element!

* Combustion of hydrocarbons makes carbon dioxide and water, if enough oxygen is present. In low-oxygen environments, carbon monoxide is made instead!

Examples:

 $(3 + 8 + 9) + 502(9) \longrightarrow 4 + 20(9) + 3(02(9))$

 $2mg(s) + O_2(g) \longrightarrow 2mgO(s)$

This reaction can also be called a combination! Two reactants form a single product.



SINGLE REPLACEMENT REACTIONS

- Reactions where one element REPLACES another element in a compound.
- Can be predicted via an ACTIVITY SERIES (p151, 9th edition)

- Form: A + BC - AC + B "A" and "B" are elements., often metals.

- Easy to spot, since there is an element "by itself" on each side of the equation.

Examples:
$$+1$$
 $\neq 2$ $\downarrow 3$ $\downarrow 4$ $\downarrow 2$ $\downarrow 3$ $\downarrow 4$ \downarrow